









































新型式	舊型式	電壓(V)	容量 20HR(AH)	CCA	尺寸 (mm)L	尺寸 (mm)W	尺寸 (mm)H	尺寸 (mm)TH	重量 Dry(KG)	電解液(L)	配置圖	端子型式
26A19R	12N24-4	12	24	201	187	128	162	178	5.5	1.8		T ₁ 
36B20R	NS40Z	12	35	274	197	129	202	227	7.3	2.6		T ₂  D(mm) ⊕ ⊖ 14.7 ⁰ _{-0.3} 13.0 ⁰ _{-0.3}
36B20RS	NS40ZS	12	35	274	197	129	202	227	7.3	2.6		T ₃  D(mm) ⊕ ⊖ 19.5 ⁰ _{-0.3} 17.9 ⁰ _{-0.3}
36B20L	NS40ZL	12	35	274	197	129	202	227	7.3	2.6		T ₂  D(mm) ⊕ ⊖ 14.7 ⁰ _{-0.3} 13.0 ⁰ _{-0.3}
36B20LS	NS40ZLS	12	35	274	197	129	202	227	7.3	2.6		T ₃  D(mm) ⊕ ⊖ 19.5 ⁰ _{-0.3} 17.9 ⁰ _{-0.3}
55D23R	55D23R	12	60	356	232	173	202	225	10.5	3.9		T ₃  D(mm) ⊕ ⊖ 19.5 ⁰ _{-0.3} 17.9 ⁰ _{-0.3}
55D23L	55D23L	12	60	356	232	173	202	225	10.5	3.9		T ₃  D(mm) ⊕ ⊖ 19.5 ⁰ _{-0.3} 17.9 ⁰ _{-0.3}

65D23R	--	12	65	420	232	173	202	225	11.6	3.8		
65D23L	--	12	65	420	232	173	202	225	11.6	3.8		
75D23R	--	12	65	520	260	173	202	225	12.3	3.8		
75D23L	--	12	65	520	260	173	202	225	12.3	3.8		
46B24R	NS60	12	45	325	238	129	202	227	8.8	2.8		
46B24RS	NS60S	12	45	325	238	129	202	227	8.8	2.8		
46B24L	NS60L	12	45	325	238	129	202	227	8.8	2.8		

46B24LS	NS60LS	12	45	325	238	129	202	227	8.8	2.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>\oplus</td> <td>\ominus</td> </tr> <tr> <td>$19.5_{-0.3}^0$</td> <td>$17.9_{-0.3}^0$</td> </tr> </table>	\oplus	\ominus	$19.5_{-0.3}^0$	$17.9_{-0.3}^0$
\oplus	\ominus															
$19.5_{-0.3}^0$	$17.9_{-0.3}^0$															
48D26R	N50	12	50	278	260	173	202	225	9	4.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>\oplus</td> <td>\ominus</td> </tr> <tr> <td>$19.5_{-0.3}^0$</td> <td>$17.9_{-0.3}^0$</td> </tr> </table>	\oplus	\ominus	$19.5_{-0.3}^0$	$17.9_{-0.3}^0$
\oplus	\ominus															
$19.5_{-0.3}^0$	$17.9_{-0.3}^0$															
48D26L	N50L	12	50	278	260	173	202	225	9	4.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>\oplus</td> <td>\ominus</td> </tr> <tr> <td>$19.5_{-0.3}^0$</td> <td>$17.9_{-0.3}^0$</td> </tr> </table>	\oplus	\ominus	$19.5_{-0.3}^0$	$17.9_{-0.3}^0$
\oplus	\ominus															
$19.5_{-0.3}^0$	$17.9_{-0.3}^0$															
55D26R	N50Z	12	60	348	260	173	202	225	10.4	4.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>\oplus</td> <td>\ominus</td> </tr> <tr> <td>$19.5_{-0.3}^0$</td> <td>$17.9_{-0.3}^0$</td> </tr> </table>	\oplus	\ominus	$19.5_{-0.3}^0$	$17.9_{-0.3}^0$
\oplus	\ominus															
$19.5_{-0.3}^0$	$17.9_{-0.3}^0$															
65D26R	NS70	12	65	413	260	173	202	225	11.7	4.4		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>\oplus</td> <td>\ominus</td> </tr> <tr> <td>$19.5_{-0.3}^0$</td> <td>$17.9_{-0.3}^0$</td> </tr> </table>	\oplus	\ominus	$19.5_{-0.3}^0$	$17.9_{-0.3}^0$
\oplus	\ominus															
$19.5_{-0.3}^0$	$17.9_{-0.3}^0$															
80D26R	--	12	65	582	260	173	202	225	14.4	3.7		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>\oplus</td> <td>\ominus</td> </tr> <tr> <td>$19.5_{-0.3}^0$</td> <td>$17.9_{-0.3}^0$</td> </tr> </table>	\oplus	\ominus	$19.5_{-0.3}^0$	$17.9_{-0.3}^0$
\oplus	\ominus															
$19.5_{-0.3}^0$	$17.9_{-0.3}^0$															
80D26L	--	12	65	582	260	173	202	225	14.4	3.7		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>\oplus</td> <td>\ominus</td> </tr> <tr> <td>$19.5_{-0.3}^0$</td> <td>$17.9_{-0.3}^0$</td> </tr> </table>	\oplus	\ominus	$19.5_{-0.3}^0$	$17.9_{-0.3}^0$
\oplus	\ominus															
$19.5_{-0.3}^0$	$17.9_{-0.3}^0$															

75D31R	--	12	75	447	305	173	204	230	14.5	5.3		<p>T3</p> <p>D(mm)</p> <table border="1"> <tr> <td>+</td> <td>-</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	+	-	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
+	-															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
95D31L(固)	--	12	80	565	305	173	204	230	16	5		<p>T3</p> <p>D(mm)</p> <table border="1"> <tr> <td>+</td> <td>-</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	+	-	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
+	-															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
95D31R(H)	--	12	80	565	305	173	204	230	16	5		<p>T3</p> <p>D(mm)</p> <table border="1"> <tr> <td>+</td> <td>-</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	+	-	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
+	-															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
95D31L(H)	--	12	80	565	305	173	204	230	16	5		<p>T3</p> <p>D(mm)</p> <table border="1"> <tr> <td>+</td> <td>-</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	+	-	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
+	-															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
95E41R	N100	12	100	512	408	175	211	233	18.2	7.5		<p>T3</p> <p>D(mm)</p> <table border="1"> <tr> <td>+</td> <td>-</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table> <p>T7</p>	+	-	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
+	-															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
115E41R	--	12	110	651	408	175	211	233	18.2	7.5		<p>T3</p> <p>D(mm)</p> <table border="1"> <tr> <td>+</td> <td>-</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table> <p>T7</p>	+	-	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
+	-															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															

115F51	N120	12	120	638	504	182	213	257	20.7	10.3		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table> <p>T8</p> 	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
150F51	N120Z	12	135	765	504	182	213	257	22.3	10.2		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table> <p>T8</p> 	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
145G51	N150	12	150	754	507	222	213	257	24.1	12.7		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table> <p>T8</p> 	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
145G51L	N150L(繩把)	12	150	754	507	222	213	257	24.1	12.7		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table> <p>T8</p> 	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															

210H52	--	12	210	953	520	279	220	270	40.9	16.2
--------	----	----	-----	-----	-----	-----	-----	-----	------	------

