


KST 汽車連接器

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)


## BULLET & RECEPTACLE SERIES HOUSINGS

### SPECIFICATIONS




<b>Material</b>	Connector	NY66
	Male Terminal	BRASS
	Female Terminal	BRASS
Operating Temperature Range	-55 C ~ +105 C	
Voltage Drop	3mV/A	
Isolation Resistance	100M	
Dielectric Resistance	2200V	
Applicable Wire Size	0.5mm <sup>2</sup> ~ 2.0mm <sup>2</sup> (20AWG~14AWG)	
Maximum Electric Current	12A	


## TERMINAL



ITEM NO.	WIRE RANGE		MATERIAL	PLATING	Q'TY REL	APPLICATOR	DIES
	A. W. G.	mm <sup>2</sup>					
1101Z0042	20-14	0.5-2.0	Brass	Pre-Tin	4000	CDM-9411 3-M	CDT-9411 3-M



ITEM NO.	WIRE RANGE		MATERIAL	PLATING	Q'TY REL	APPLICATOR	DIES
	A. W. G.	mm <sup>2</sup>					
1201Z0042	20-14	0.5-2.0	Brass	Pre-Tin	4000	CDM-9411 3-M	CDT-9411 3-M



ITEM NO.	WIRE RANGE		MATERIAL	PLATING	Q'TY REL	APPLICATOR	DIES
	A. W. G.	mm <sup>2</sup>					
1201Z0046	20-14	0.5-2.0	Brass	Pre-Tin	4000	CDM-9411 3-M	CDT-9411 3-M

## HOUSING

POLE	MALE	FEMALE
2	» 3102Z0041, » 3102Z0061  100PCS	» 3202Z0041, » 3202Z0061  100PCS

6	3106Z0041, 3106Z0061	3206Z0041, 3206Z0061
	100PCS	100PCS



RU/CRU ALL LISTED » NOT RU AND CRU LISTED

HOUSING (UNIT : mm)

MATERIAL : NY66

COLOR : NATURAL

POLE	MALE	FEMALE
9	3109Z0041, 3109Z0061	3209Z0041, 3209Z0061
	50PCS	50PCS
12	3112Z0041, 3112Z0061	3212Z0041, 3212Z0061
	50PCS	50PCS

HOUSING (UNIT : mm)

MATERIAL : NY66

COLOR : NATURAL

RU/CRU ALL LISTED