




NOTES

1. 嵌合相手：53307, 53309 シリーズ
MATES WITH 53307, 53309 SERIES

2. ハウジングの ϕ から隣接するターミナルの ϕ 迄の位置を示す。
SHOW POSITION FROM ϕ OF HOUSING TO ϕ OF ADJACENT TERMINALS.

3. 一對の基板の嵌合に於いて、本製品を2個以上使用することは推奨できません。
MXJ DOSE NOT RECOMMEND THE USAGE OF TWO OR MORE OF THESE CONNECTORS BETWEEN A SINGLE PAIR OF P. C. BOARD.

4. 本製品は 52465-**-27 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 52465-**-27.

5. ELV及びRoHS適合品
ELV AND RoHS COMPLIANT

勝 特 力 材 料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
Http://www.100y.com.tw

D	C	B	A	EMBOSSED TAPE ORDER No.	MATERIAL NO.	CKT.
0.4	17.6	16.85	15.2	52465-4071	52465-4029	40
0.8	16.8	16.05	14.4	52465-3871	52465-3829	38
0.4	16.0	15.25	13.6	52465-3671	52465-3629	36
0.8	15.2	14.45	12.8	52465-3471	52465-3429	34
0.4	14.4	13.65	12.0	52465-3271	52465-3229	32
0.8	13.6	12.85	11.2	52465-3071	52465-3029	30
0.4	12.8	12.05	10.4	52465-2871	52465-2829	28
0.8	12.0	11.25	9.6	52465-2671	52465-2629	26
0.4	11.2	10.45	8.8	52465-2471	52465-2429	24
0.8	10.4	9.65	8.0	52465-2271	52465-2229	22
0.4	9.6	8.85	7.2	52465-2071	52465-2029	20
0.8	8.8	8.05	6.4	52465-1871	52465-1829	18
0.4	8.0	7.25	5.6	52465-1671	52465-1629	16
0.8	7.2	6.45	4.8	52465-1471	52465-1429	14
0.4	6.4	5.65	4.0	52465-1271	52465-1229	12
0.8	5.6	4.85	3.2	52465-1071	52465-1029	10

GENERAL TOLERANCES (UNLESS SPECIFIED)

10 UNDER	±0.2
10 OVER 30 UNDER	±0.25
30 OVER	±0.3

ANGULAR ±3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE MM ONLY

SCALE 10:1

DESIGN UNITS METRIC

THIRD ANGLE PROJECTION

0.8 BOARD TO BOARD CONN. HOUSING ASSY SMT

MOLEX INCORPORATED

SD-52465-028

1 OF 1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DWG. NO.
SD-52465-029

F


D

▽


C

B


DO NOT SCALE DRAWING




SECT. Y-Y




SECT. X-X
(SCALE; 5:1)




24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE



SECT. W-W
(SCALE; 5:1)



SECT. Z-Z



32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

勝特力材料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

32	33.5	17.9	52465-4071	40
		17.1	52465-3871	38
		16.3	52465-3671	36
		15.5	52465-3471	34
		14.7	52465-3271	32
		13.9	52465-3071	30
		13.1	52465-2871	28
		12.3	52465-2671	26
		11.5	52465-2471	24
24	25.5	10.7	52465-2271	22
		9.9	52465-2071	20
		(A)	MATERIAL NO.	CIRCUITS
		(A)	MATERIAL NO.	CIRCUITS

MODEL NO.		52465-**71		DIMENSIONS:		SHT	REV
SCALE	DESIGN UNITS		THIRD ANGLE	☐ mm INCH	☐ INCH mm	☒ mm ONLY	REVISE ON CAD ONLY
	☒ mm ☐ INCH		PROJECTION				
DRAWN BY & DATE		TITLE: 0.8 B-To-B Hsg Assy SMT Embstop Pkg -LEAD FREE-					
Y.SAKIYAMA							
CHECKED BY & DATE							
M.SASAO							
APPROVED BY & DATE							
M.SASAO							
CAD FILENAME		MATERIAL NO.		DRAWING NO.		SHEET NO.	
SD-52465-029.S02		SEE CHART		SD-52465-029		2 OF 2	

SEE SHEET 1 OF 2

FINISH 仕上げ
WIRE RANGE 適用電線範囲
INS. RANGE 被覆外径

RELEASED '04/02/17
EC NO. J2004-2482
DRWN: Y.SAKIYAMA
CHK: M.SASAO
APPR: M.SASAO

MATERIAL 材料

FINISH 仕上げ

WIRE RANGE 適用電線範囲

INS. RANGE 被覆外径

GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差

10 UNDER 未満 ±0.2
10 OVER 以上 30 UNDER 未満 ±0.25
30 OVER 以上 ±0.3

ANGLE 角度 ±3°

SCALE —

DRAWN BY & DATE Y.SAKIYAMA '04/02/17

CHECKED BY & DATE M.SASAO '04/02/17

APPROVED BY & DATE M.SASAO '04/02/17

CAD FILENAME SD-52465-029.S02

DESIGN UNITS

THIRD ANGLE PROJECTION

TITLE: 0.8 B-To-B Hsg Assy SMT Embstp Pkg -LEAD FREE-

MOLEX INCORPORATED

MATERIAL NO. SEE CHART

DRAWING NO. SD-52465-029

DIMENSIONS:

mm INCH mm ONLY

SHEET NO. 2 OF 2

SIZE B

EN-02J(097) MXJ-54