


勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-34970699  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

1502 KSS Y 型絕緣端子  
 Insulated Y Terminal



絕緣端子基本顏色

INSULATED COLOR:

紅 RED : 1.25m<sup>2</sup> =AWG22-16

藍 BLUE : 2 m<sup>2</sup> =AWG16-14

黃 YELLOW : 5.5 m<sup>2</sup> =AWG12-10

黑 BLACK : 3.5 m<sup>2</sup> =AWG14-12


單位: mm

型號 Item No.	螺絲孔 D	寬 W	電線規格		包 裝 Packing
			AWG	mm <sup>2</sup>	
<input type="checkbox"/> YF1.25-3S	3.7	5.7	22-18	0.5-1.0	100 pcs / 包
<input type="checkbox"/> YF1.25-3	3.7	6.2	22-16	0.5-1.0	
<input type="checkbox"/> YF1.25-4S	4.3	6.4	22-18	0.5-1.0	
<input type="checkbox"/> YF1.25-4	4.3	7.2	22-16	0.5-1.0	
<input type="checkbox"/> YF1.25-5	5.3	8.0	22-16	0.5-1.0	
<input type="checkbox"/> YF1.25-6	6.4	10.7	22-16	0.5-1.0	
<input type="checkbox"/> YF2-3S	3.7	5.7	16-14	1.5-2.5	

<input type="checkbox"/> YF2-3	3.7	6.2	16-14	1.5-2.5
<input type="checkbox"/> YF2-4S	4.3	6.4	16-14	1.5-2.5
<input type="checkbox"/> YF2-4	4.3	7.2	16-14	1.5-2.5
<input type="checkbox"/> YF2-5	5.3	8.0	16-14	1.5-2.5
<input type="checkbox"/> YF2-6	6.4	10.7	16-14	1.5-2.5
<input type="checkbox"/> YF3.5-3S	3.7	6.4	14-12	2.5-4
<input type="checkbox"/> YF3.5-3	3.7	7.4	14-12	2.5-4
<input type="checkbox"/> YF3.5-4	4.3	8.0	14-12	2.5-4.0
<input type="checkbox"/> YF3.5-5	5.3	8.0	14-12	2.5-4.0
<input type="checkbox"/> YF5.5-3S	3.7	7.2	12-10	4.0-6.0
<input type="checkbox"/> YF5.5-3	3.7	8.2	12-10	4.0-6.0
<input type="checkbox"/> YF5.5-4S	4.3	7.2	12-10	4.0-6.0
<input type="checkbox"/> YF5.5-4	4.3	8.2	12-10	4.0-6.0
<input type="checkbox"/> YF5.5-5	5.3	9.0	12-10	4.0-6.0
<input type="checkbox"/> YF5.5-6	6.4	10.8	12-10	4.0-6.0
<input type="checkbox"/> YF8-4	4.3	8.2	8	10
<input type="checkbox"/> YF8-5	5.3	9.0	8	10
<input type="checkbox"/> YF8-6	6.4	12.0	8	10

放入選樣單

1502 KSS Y 型易進式絕緣端子  
Insulated Y Terminal Easy Entry




單位: mm					
型號 Item No.	螺絲孔 D	螺絲孔 D	電線規格		包裝 Packing
			AWG	mm <sup>2</sup>	
<input type="checkbox"/> EYF1.25-3S	3.7	5.7	22-18	0.5-1.0	100 pcs / 包
<input type="checkbox"/> EYF1.25-3	3.7	6.2	22-18	0.5-1.0	
<input type="checkbox"/> EYF1.25-4S	4.3	6.4	22-18	0.5-1.0	
<input type="checkbox"/> EYF1.25-4	4.3	7.2	22-18	0.5-1.0	
<input type="checkbox"/> EYF1.25-5	5.3	8.0	22-18	0.5-1.0	
<input type="checkbox"/> EYF1.25-6	6.4	10.7	22-18	0.5-1.0	

<input type="checkbox"/> EYF2-3S	3.7	5.7	16-14	1.5-2.5
<input type="checkbox"/> EYF2-3	3.7	6.2	16-14	1.5-2.5
<input type="checkbox"/> EYF2-4S	4.3	6.4	16-14	1.5-2.5
<input type="checkbox"/> EYF2-4	4.3	7.2	16-14	1.5-2.5
<input type="checkbox"/> EYF2-5	5.3	8.0	16-14	1.5-2.5
<input type="checkbox"/> EYF2-6	6.4	10.7	16-14	1.5-2.5
<input type="checkbox"/> EYF5.5-3S	3.7	7.2	12-10	4.0-6.0
<input type="checkbox"/> EYF5.5-3	3.7	8.2	12-10	4.0-6.0
<input type="checkbox"/> EYF5.5-4S	4.3	7.2	12-10	4.0-6.0
<input type="checkbox"/> EYF5.5-4	4.3	8.2	12-10	4.0-6.0
<input type="checkbox"/> EYF5.5-5	5.3	9.0	12-10	4.0-6.0
<input type="checkbox"/> EYF5.5-6	6.4	10.8	12-10	4.0-6.0

1502 KSS 絕緣折角 Y 型端子  
Flanged Spade Insulated Terminal





單位: mm						
型號 Item No.	螺絲孔 D	尺寸		電線規格		包裝 Packing
		W	T	AWG	mm <sup>2</sup>	
<input type="checkbox"/> LYF1-3	3.7	7.5	1.5	22-16	0.5-1.0	100 pcs / 包
<input type="checkbox"/> LYF1-4	4.3	7.5	1.5	22-16	0.5-1.0	
<input type="checkbox"/> LYF1-5	5.3	7.5	1.5	22-16	0.5-1.0	
<input type="checkbox"/> LYF2-3	3.7	7.5	1.5	16-14	1.5-2.5	
<input type="checkbox"/> LYF2-4	4.3	7.5	1.5	16-14	1.5-2.5	
<input type="checkbox"/> LYF2-5	5.3	7.5	1.5	16-14	1.5-2.5	
<input type="checkbox"/> LYF5-3	3.7	8.5	1.5	12-10	4.0-6.0	
<input type="checkbox"/> LYF5-4	4.3	8.5	1.5	12-10	4.0-6.0	
<input type="checkbox"/> LYF5-5	5.3	8.5	1.5	12-10	4.0-6.0	


V001 KSS 超值包裝  
VALUE PACK



型 號 Item No.	明 細
<input type="checkbox"/> DB-50-RF5-8	RF5.5-8 50 pcs 黃色
<input type="checkbox"/> DB-25-RF2-4	RF2-4 25 pcs 藍色
<input type="checkbox"/> DB-10-YF1-4	YF1.25-4 10 pcs 紅色

1502 KSS R 型絕緣端子  
Insulated Ring Terminal






單位: mm					
型號 Item No.	螺絲孔 D	寬 W	電線規格		包裝 Packing
			AWG	mm <sup>2</sup>	
<input type="checkbox"/> RF1.25-3S	3.2	5.5	22-16	0.5-1.0	100 pcs / 包
<input type="checkbox"/> RF1.25-3	3.7	5.5	22-16	0.5-1.0	
<input type="checkbox"/> RF1.25-4	4.3	8.0	22-16	0.5-1.0	
<input type="checkbox"/> RF1.25-4M	4.3	6.6	22-16	0.5-1.0	
<input type="checkbox"/> RF1.25-5	5.3	8.0	22-16	0.5-1.0	
<input type="checkbox"/> RF1.25-6	6.4	11.7	22-16	0.5-1.0	
<input type="checkbox"/> RF1.25-8	8.4	11.7	22-16	0.5-1.0	
<input type="checkbox"/> RF1.25-10	10.5	13.7	22-16	0.5-1.0	
<input type="checkbox"/> RF2-3S	3.7	6.5	16-14	1.5-2.5	
<input type="checkbox"/> RF2-3	3.7	6.5	16-14	1.5-2.5	
<input type="checkbox"/> RF2-4	4.3	8.5	16-14	1.5-2.5	
<input type="checkbox"/> RF2-4M	4.3	6.6	16-14	1.5-2.5	
<input type="checkbox"/> RF2-5	5.3	9.5	16-14	1.5-2.5	

<input type="checkbox"/> RF2-6	6.4	12.0	16-14	1.5-2.5
<input type="checkbox"/> RF2-8	8.4	12.0	16-14	1.5-2.5
<input type="checkbox"/> RF2-10	10.5	13.7	16-14	1.5-2.5
<input type="checkbox"/> RF3.5-4	4.3	8.0	14-12	2.5-4.0
<input type="checkbox"/> RF3.5-5	5.3	8.0	14-12	2.5-4.0
<input type="checkbox"/> RF3.5-6	6.4	12.0	14-12	2.5-4.0
<input type="checkbox"/> RF5.5-3	3.7	9.4	12-10	4.0-6.0
<input type="checkbox"/> RF5.5-4	4.3	9.5	12-10	4.0-6.0
<input type="checkbox"/> RF5.5-5	5.3	9.5	12-10	4.0-6.0
<input type="checkbox"/> RF5.5-6S	6.4	12.0	12-10	4.0-6.0
<input type="checkbox"/> RF5.5-8	8.4	15.0	12-10	4.0-6.0
<input type="checkbox"/> RF5.5-10	10.5	15.0	12-10	4.0-6.0
<input type="checkbox"/> RF8-5S	5.3	9.0	8	10
<input type="checkbox"/> RF8-5	5.3	12.0	8	10
<input type="checkbox"/> RF8-6	6.4	12.0	8	10


1502 KSS R 型易進式絕緣端子  
Insulated Ring Terminal Easy Entry



單位: mm					
型號 Item No.	螺絲孔 D	寬 W	電線規格		包裝 Packing
			AWG	mm <sup>2</sup>	
<input type="checkbox"/> ERF1.25-3S	3.7	5.5	22-18	0.5-1.0	100 pcs / 包
<input type="checkbox"/> ERF1.25-3	3.2	5.5	22-18	0.5-1.0	
<input type="checkbox"/> ERF1.25-4	4.3	8.0	22-18	0.5-1.0	
<input type="checkbox"/> ERF1.25-4M	4.3	6.6	22-18	0.5-1.0	
<input type="checkbox"/> ERF1.25-5	5.3	8.0	22-18	0.5-1.0	
<input type="checkbox"/> ERF1.25-6	6.4	11.6	22-18	0.5-1.0	

<input type="checkbox"/> ERF1.25-8	8.4	11.6	22-18	0.5-1.0
<input type="checkbox"/> ERF1.25-10	10.5	13.6	22-18	0.5-1.0
<input type="checkbox"/> ERF2-3S	3.2	5.5	16-14	1.5-2.5
<input type="checkbox"/> ERF2-3	3.7	8.5	16-14	1.5-2.5
<input type="checkbox"/> ERF2-4	4.3	8.5	16-14	1.5-2.5
<input type="checkbox"/> ERF2-4M	4.3	6.6	16-14	1.5-2.5
<input type="checkbox"/> ERF2-5	5.3	9.5	16-14	1.5-2.5
<input type="checkbox"/> ERF2-6	6.4	11.6	16-14	1.5-2.5
<input type="checkbox"/> ERF2-8	8.4	11.6	16-14	1.5-2.5
<input type="checkbox"/> ERF2-10	10.5	13.6	16-14	1.5-2.5
<input type="checkbox"/> ERF5.5-4	4.3	9.5	12-10	4.0-6.0
<input type="checkbox"/> ERF5.5-5	5.3	9.5	12-10	4.0-6.0
<input type="checkbox"/> ERF5.5-6S	6.4	12.0	12-10	4.0-6.0
<input type="checkbox"/> ERF5.5-8	8.4	15.0	12-10	4.0-6.0
<input type="checkbox"/> ERF5.5-10	10.5	15.0	12-10	4.0-6.0

1502 KSS 絕緣鉤型端子  
Insulated Hook Terminal



單位: mm					
型號 Item No.	螺絲孔 D	寬 W	電線規格		包裝 Packing
			AWG	mm <sup>2</sup>	
<input type="checkbox"/> HF1-4	4.3	8.0	22-16	0.5-1.0	100 pcs / 包
<input type="checkbox"/> HF1-5	5.3	8.0	22-16	0.5-1.0	
<input type="checkbox"/> HF2-4	4.3	8.5	16-14	1.5-2.5	
<input type="checkbox"/> HF2-5	5.3	9.5	16-14	1.5-2.5	
<input type="checkbox"/> HF5-4	4.3	9.5	12-10	4.0-6.0	
<input type="checkbox"/> HF5-5	5.3	9.5	12-10	4.0-6.0	