


勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

不絕緣平行管&中接管連結器

NON-INSULATED PARALLEL & BUTT CONNECTORS



























MAXIMUM ELECTRIC CURRENT:

A.W.G.	26	24	22	20	18	16	14	12	10	8	6	4	2	1/0	2/0	3/0	4/0	250	300	350	400	500	600
AMP.	5.5	7	9	12	17	18	30	35	50	70	95	125	170	230	265	310	360	405	445	505	545	620	690

TERMINAL MATERIAL: COPPER TUBULAR

RANGE A.W.G. mm ²	ITEM NO.		DIMENSION inch(mm)				Q'TY BOX	
	PARALLEL	I	BUTT	L	D	d1		T
26-22								
A.W.G.		0.197		0.472	0.083	0.051	0.016	
	<input type="checkbox"/> PNT0.5		<input type="checkbox"/> BNT0.5	12	2.100	1.3	0.4	1000
0.2-0.5		5.00						
mm ²								
22-16		0.315		0.591	0.130	0.067	0.031	
A.W.G.	<input type="checkbox"/> PNT1	8.00	<input type="checkbox"/> BNT1	15	3.300	1.7	0.8	1000
0.5-1.5		0.315		0.63	0.130	0.067	0.031	
mm ²	<input type="checkbox"/> PNT1	8.00	<input type="checkbox"/> BNT1-16	16	3.300	1.7	0.8	1000
16-14		0.315		0.591	0.154	0.091	0.031	
A.W.G.	<input type="checkbox"/> PNT2	8.00	<input type="checkbox"/> BNT2	15	3.900	2.3	0.8	1000
1.5-2.5		0.315		0.63	0.154	0.091	0.031	
	<input type="checkbox"/> PNT2	8.00	<input type="checkbox"/> BNT2-16	16	3.900	2.3	0.8	1000

14-12									
A.W.G.									
	 PNT3	0.335	 BNT3	0.591	0.197	0.118	0.039		
2.5-4		8.50		15	5.000	3	1		1000
mm ²									
12-10									
A.W.G.									
	 PNT5	0.335	 BNT5	0.591	0.213	0.134	0.037		
		8.50		15	5.400	3.4	1		1000
4-6									
	 PNT5	0.335	 BNT5-20	0.787	0.213	0.134	0.037		
		8.50		20	5.400	3.4	1		1000
mm ²									
8									
A.W.G.									
	 PNT8	0.374	 BNT8	0.827	0.276	0.181	0.047		1000/500
		9.50		21	7.000	4.6	1.2		
8									
mm ²									
6									
A.W.G.									
	 PNT14	0.433	 BNT14	1.024	0.350	0.232	0.059		
		11.00		26	8.900	5.9	1.5		500
14									
mm ²									
4									
A.W.G.									
	 PNT22	0.531	 BNT22	1.142	0.445	0.307	0.069		
		13.50		29	11.300	7.8	1.75		250
22									
mm ²									
	 PNT22	0.531	 BNT22-58	2.283	0.445	0.307	0.069		
		13.50		58	11.300	7.8	1.75		250
2									
A.W.G.									
	 PNT38	0.650	 BNT38	1.26	0.520	0.374	0.073		
		16.50		32	13.200	9.5	1.85		250/200
38									
mm ²									
	 PNT38	0.650	 BNT38-64	2.52	0.520	0.374	0.073		
		16.50		64	13.200	9.5	1.85		250/200
1/0									
A.W.G.									
	 PNT60	0.748	 BNT60	1.417	0.602	0.449	0.077		
		19.00		36	15.300	11.4	1.95		100
60									
mm ²									
	 PNT60	0.748	 BNT60-72	2.835	0.602	0.449	0.077		
		19.00		72	15.300	11.4	1.95		100
2/0									
A.W.G.									
	 PNT70	0.748	 BNT70	1.457	0.689	0.524	0.083		
		19.00		37	17.500	13.3	2.1		100

