

PIR-5010C DIY 帶燈式感應器



Functions & Characteristics:

1. DIY design-the bulb can directly install in the sensor. It is easy to install and only plug the wire into the electric socket.
2. Special circuit design and with the auto light feed up patented design which can resist spark, surge and noise and light will not flash because of the near the heat source.
3. Time, day & night and sensitivity can be adjusted. It can be installed on the wall and the ceiling.
4. Combine with any lamp, such as Incandescent lamp, Fluorescent lamp, energy saving lamp and LED lamp.
5. Application places: Hallway, door gate, corridor, stairs, garage, balcony and basement ...etc.

Specification:

Model No.	PIR-5010C DIY Sensor
Power Supply	AC100V ~ 240V, 50HZ/60HZ
Max. Load	Incandescent lamp:60W, Energy saving lamp: 23W
Power Consumption	standby: 220V-35mA/110V-17mA
Sensing Angle	UP&DOWN:<130°, R&L:<90° (at 25°C)
Sensing Distance	25°C < 8m
Off Delay time	15~600 sec.
Warm-up Procedure	Install at daytime: the lamp will flash 3 times after energized. Install at nighttime: the lamp will light for about 30 seconds then automatically shut off after energized.
Dimension	10×10×7cm
Weight	135g
Wiring	AC Plug wire

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Instructions(Three adjustable knobs provided as described below):



Adjust for day& night.

Sun: The sensor operates when people arrive no matter daytime or night.

Moon: It only operates at dark surroundings.



Adjust for off delay time.


0: about 15 seconds, 5: about 600 seconds.



Adjust for sensitivity.

Turn left: short sensing distance. Turn right: long sensing distance.


Sensing Range and Distance:




勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Wiring Diagram:

PIR-5010C Wiring Diagram



Application place:



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)