

Actinic BL TL/TL-D/T5



Actinic BL TL 8W/10 1FM

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

With an optimized performance to attract most insects, Actinic BL TL, BL TLD and BL T5 lamps are the ideal choice for electronic insect killer systems. They are also suitable for photopolymerization and reprographic processes. A wide choice of wattages and a special 200-degree internal reflector version are available. In addition, Philips provides single-ended compact and T5 Actinic lamp versions as well as a circular Actinic lamp. For extra safety, there is a special shatter-proof "Secura" option which ensures that all the lamp's glass and components are retained in a special outer sleeve in the case of accidental breakage. Hence, product designers have a high degree of flexibility in choosing the best fitting solution for their needs – including compact designs. What's more, as a 100% lead-free and low-mercury product these lamps also provide a responsible environmental choice.

PHILIPS
sense and simplicity

Actinic BL TL/TL-D/T5

Product data

• General Characteristics

Cap-Base	G5
Bulb	T16
Main Application	Reprography
Useful Life	5000 hr
Life to 50% failures	10000 hr
EM	

• Light Technical Characteristics

Color Code	10
Color Designation (text)	Actinic
Chromaticity Coordinate X	219 -
Chromaticity Coordinate Y	212 -
Depreciation 500 hours	17 %
Depreciation 1000 hours	25 %
Depreciation 2000 hours	35 %

• Electrical Characteristics

Lamp Wattage	8 W
Lamp Wattage Technical	7.1 W
Lamp Voltage	56 V
Lamp Current	0.145 A

• Environmental Characteristics

Mercury (Hg) Content	4.4 mg
----------------------	--------

• UV-related Characteristics

UV-A Radiation 100hr (IEC)	1.60 W
UV-B/UV-A (IEC)	0.2 %


• Product Dimensions

Base Face to Base Face A	288.3 (max) mm
Insertion Length B	293 (min), 295.4 (max) mm
Overall Length C	302.5 (max) mm
Diameter D	16 (max) mm

• Product Data

Order code	928001001030
Full product code	928001001030
Full product name	Actinic BL TL 8W/10 1FM
Order product name	Actinic BL TL 8W/10 1FM/10X25CC
Pieces per pack	1
Packing configuration	10X25CC
Packs per outerbox	250
Bar code on pack - EAN1	8711500260420
Bar code on intermediate packing - EAN2	8711500260437
Bar code on outerbox - EAN3	8711500260444
Logistic code(s) - 12NC	928001001030
Net weight per piece	25.300 gr


Dimensional drawing




Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL 8W/10	288.3	293	295.4	302.5	16

Actinic BL TL/TL-D/T5

Dimensional drawing



Photometric data



© 2012 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2012, August 4
data subject to change