

# Kotelyzer 70 Model: 70A. 70B

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)



System	Gas Catalyst Reaction System
Overall length	243mm
Weight	90g
Soldering iron equivalent to elec. Temp	Approx. 200°C-500°C
Hot blower	Approx. 600°C
Torch	Approx. 1300°C MAX
Gas Container capacity	28ml
Operation time/ one gas filling	Approx. 120min.

Standard model for industrial use.

Three heat functions in one. (Soldering iron, hot blower and torch)

## Kotelyzer 70 Optional parts


Soldering Tip ( 70-01-01 ~ 70-01-15 )

Hotblow Tip ( 70-01-50 ~ 70-01-53 )


Heat Shrink ( 70-01-54 ~ 55 ) / Carrying String( 70-52U )

Metal Carrying Case (72-40U ) / Hot Knife ( 70-01-16 ) / Protective Cap (70-02 )

Kotelyzer 70&90Auto Soldering Tip (70-01-01 ~ 70-01-07)



Kotelyzer 70&90 Auto Soldering Tip(70-01-08 ~ 70-01-14)



勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

**Kotelyzer70A set**

Soldering Tip / 70-01-01 Protective Cap / 70-02 Hotblow Tip / 70-01-52

Heat Shrink / 70-01-55

**Kotelyzer70B set**

Soldering Tip / 70-01-01 Torch Ejector / 70-07TU Spanner / 70-35

Hotblow Tip / 70-01-52 Heat Shrink / 70-01-55 Metal Carrying Case /72-40U

Cleaner Case with Sponge / 70-37 Iron Holder / 70-43

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)