

SPECIFICATION OF RC SERIES

APPLICATIONS

Enclosures for channel-type EMI suppressor snaps.

- * Internal and external power cables
- * Internal cables between PC boards and data connectors

ORDERING CODE

K5B RC 16 x 13 x 8 - M
(1) (2) (3) (4) (5) (6)

- (1) MATERIAL
(2) PRODUCT CODE
(3) CORE OD
(4) CORE LENGTH
(5) CORE ID
(6) PLASTIC CLAMPS

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



SHAPE




FIG 1




FIG 2




FIG 3





FIG 4




FIG 5





FIG 6



DIMENSIONS & CHARACTERISTICS

UNIT:mm


NO.	ORDERING CODE		A	B	C	D	E	Applicable cable(max)	Fig
1	RC 10*20*5	M	13.00±1.00	12.00±1.00	5.00±1.00	25.50±1.00	2.40±0.50	3.5	3
2	RC 12*15*7	M	14.00±1.00	15.50±1.00	7.00±1.00	18.00±1.00	22.00±1.00	7	2
3	RC 13*23*7	M	17.00±1.00	15.00±1.00	7.00±1.00	30.00±1.00	3.00±1.00	4	3
4	RC 14*28.5*7	M	20.00±1.00	20.00±1.00	8.50±1.00	39.00±1.00	-	7	4
5	RC 16*13*8	M	19.50±1.00	23.00±1.00	8.00±1.00	17.00±1.00	23.00±1.00	8	1
6	RC 16*16*8	M	19.20±1.00	23.40±1.00	8.20±1.00	20.00±1.00	26.10±1.00	8	1
7	RC 16*28*8	M1	19.50±1.00	20.00±1.00	9.50±1.00	31.00±1.00	35.00±1.00	8	2
8	RC 16*28*9	M1	19.50±1.00	20.00±1.00	9.50±1.00	31.00±1.00	35.00±1.00	9	2
9	RC 16*28*9	M2	20.00±1.00	18.00±1.00	9.50±1.00	36.00±1.00	6.50±1.00	9	3
10	RC 17.5*28.5*9.5		17.50±0.30	28.50±0.60	9.50±0.25	8.75(+0.00/-0.60)	-	9	6
11	RC 17*28*11	M	20.50±1.00	20.50±1.00	11.00±1.00	31.50±1.00	36.00±1.00	11	2
12	RC 20*30*5	M	23.00±1.00	22.00±1.00	5.00±1.00	36.00±1.00	10.00±1.00	4*1.5	5
13	RC 20*30*13	M	23.00±1.00	22.00±1.00	13.50±1.00	36.00±1.00	10.00±1.00	12	3
14	RC 20.5*10*10.2	M	24.50±1.00	28.50±1.00	10.20±1.00	13.50±1.00	20.00±1.00	10	1
15	RC 24*14*11.5	M	28.00±1.00	31.50±1.00	11.50±1.00	18.00±1.00	24.00±1.00	11.5	1
16	RC 25*12*15	M	29.00±1.00	33.00±1.00	15.00±1.00	15.50±1.00	21.50±1.00	15	1
17	RC 26*30*13	M	30.75±1.00	31.00±1.00	13.00±1.00	34.00±1.00	39.00±1.00	13	2
18	RC 35.5*15*23		35.50±0.60	15.00±0.40	22.50-23.00	17.40±0.20	-	22	6

※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only. King Core reserves the right to alter or revise the specifications without prior notification.



SPECIFICATION OF RC SERIES



※Other sizes are available upon request.


※All the data listed in this catalogue are for reference only. King Core reserves the right to alter or revise the specifications without prior notification.




勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

SPECIFICATION OF RC SERIES


K5B RC 35.5x15x23



K15 RC 35.5x15x23



K25 RC 35.5x15x23



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only. King Core reserves the right to alter or revise the specifications without prior notification.

