

SPECIFICATION OF AXIAL TAPING SERIES


APPLICATIONS

The taping ferrite bead cores are produced for the automatic insertion into the PC boards.


ORDERING CODE

$\frac{K5B}{(1)} \frac{RH}{(2)} \frac{3.5 \times 6 \times 0.8}{(3)} - \frac{T\square\square}{(4)}$

- (1) MATERIAL CODE
- (2) PRODUCT CODE
- (3) SIZE CODE
- (4) TAPING : (Lead Length T52 or T26)



SHAPE



DIMENSIONS & CHARACTERISTICS

UNIT:m/m


NO.	ORDERING CODE	A	B
1	RH 2.5*3*0.8-T52	2.50±0.15	3.00±0.20
2	RH 2.5*4*0.8-T52	2.50±0.15	4.00±0.30
3	RH 2.5*7*0.8-T52	2.50±0.15	7.00±0.30
4	T 3.5*3*0.8-T52	3.50±0.15	3.00±0.20
5	T 3.5*3.2*0.8-T52	3.50±0.15	3.20±0.20
6	RH 3.5*3.5*0.8-T52	3.50±0.15	3.50±0.20
7	RH 3.5*4.5*0.8-T26	3.50±0.15	4.50±0.30
8	RH 3.5*4.5*0.8-T52	3.50±0.15	4.50±0.30
9	RH 3.5*4.7*0.8-T26	3.50±0.15	4.70±0.30
10	RH 3.5*4.7*0.8-T52	3.50±0.15	4.70±0.30
11	RH 3.5*5*0.8-T26	3.50±0.15	5.00±0.30
12	RH 3.5*5*0.8-T52	3.50±0.15	5.00±0.30
13	RH 3.5*6*0.8-T26	3.50±0.15	6.00±0.30
14	RH 3.5*6*0.8-T52	3.50±0.15	6.00±0.30
15	RH 3.5*6.7*0.8-T52	3.50±0.15	6.70±0.30
16	RH 3.5*7.5*0.8-T52	3.50±0.15	7.50±0.30
17	RH 3.5*8*0.8-T26	3.50±0.15	8.00±0.30
18	RH 3.5*8*0.8-T52	3.50±0.15	8.00±0.30
19	RH 3.5*8.3*0.8-T52	3.50±0.15	8.30±0.30
20	RH 3.5*9*0.8-T26	3.50±0.15	9.00±0.30
21	RH 3.5*9*0.8-T52	3.50±0.15	9.00±0.30
22	RH 3.5*9.5*0.8-T52	3.50±0.15	9.50±0.40
23	RH 3.5*10*0.8-T52	3.50±0.15	10.00±0.40
24	RH 3.5*11.4*0.8-T52	3.50±0.15	11.40±0.40
25	RH 3.5*14*0.8-T52	3.50±0.15	14.00±0.40

※Other sizes are available upon request.

※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.

勝特力材料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

SPECIFICATION OF AXIAL TAPING SERIES














※Other sizes are available upon request.

※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

SPECIFICATION OF AXIAL TAPING SERIES



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.