

產品簡介

1:1 和 2:1 通用型 50ml 手動 AB 膠槍操作簡單，方便耐用，可以隨意控制出膠量，能夠節省材料，提高生產效率。專門用來塗抹或滴注各種雙組分膠粘劑或塗料，能徹底解決雙組分膠粘產品混和不均勻的難題。

使用注意事項

膠槍為塑膠製品，可以承受一定的壓力，但是如果混合管中的膠水已經固化了，請及時更換，請不要強行進行打膠。可能會造成膠槍損壞。

打膠時，如果發現灌裝的 AB 膠活塞處漏膠的現象請不要再使用了，可以會進行膠槍內部固化，從而影響膠槍的壽命。

AB 膠筒為和混合管為一次性使用的消耗品，但因本材料品質相當好，在沒有損壞的情況下可多次重複使用噢。只要在打完膠後把活塞取出就可以了。針頭可以泡在酒精或丙同裏以減速混合針頭裏的膠水固化。（有的工廠在使用這個混合筒時 在活塞後面拉了個小繩，打完膠後一拉活塞就出來了。還有的是用高壓氣槍在頭部吹，活塞因受高壓氣體衝擊就從尾部出來了。）也可以用鐵絲通。

产品参数

PRODUCT PARAMETERS



产品参数

PRODUCT PARAMETERS

Product parameters that are different from the actual product parameters are not guaranteed to be accurate. The actual product parameters are subject to change without notice. The actual product parameters are subject to change without notice. The actual product parameters are subject to change without notice.

- 产品品牌：进容

- 产品材质：塑料

- 产地：上海

- 规格：50ML

- 产品特点：

1、更强的搅拌器连接--设计能不有对漏的倾向。

2、避免混合硬化--在A剂出口及B剂出口中有分隔，能避免混合硬化的情况。

3、设计适合普遍标准手工和气动力学的AB胶枪。



您想要的优点 ?

Product parameters that are different from the actual product parameters are not guaranteed to be accurate. The actual product parameters are subject to change without notice. The actual product parameters are subject to change without notice. The actual product parameters are subject to change without notice.

行业良心之作 精工品质 厂家直销

Product parameters that are different from the actual product parameters are not guaranteed to be accurate. The actual product parameters are subject to change without notice. The actual product parameters are subject to change without notice. The actual product parameters are subject to change without notice.

- (1)不滴漏，无残留。
- (2)人性化设计，简捷好用。
- (3)多种规格，支持定制。
- (4)诚信商家，品质保障。



产品细节

PRODUCT DETAILS



1

USER FRIENDLY DESIGN

人性化设计

符合人体工学
操作简单便利。

Head for the model shown with a black handle and a light gray head. The black handle is made of high-strength plastic and is designed to be comfortable to hold. The light gray head is made of high-strength plastic and is designed to be durable. The tool is designed to be used with a black plastic component with a circular hole at the end.

2

HEAD DESIGN
适用范围广

多样产品皆可使用
不必局限于1:1比率
的环氧树脂。

Head for the model shown with a black handle and a black head. The black handle is made of high-strength plastic and is designed to be comfortable to hold. The black head is made of high-strength plastic and is designed to be durable. The tool is designed to be used with a black plastic component with a circular hole at the end.





设计适合普遍标准手工
气动力学的胶枪

质量保障
放心使用





AB 膠槍 50ML 10 比 1

AB 膠槍 50ML 4 比 1

AB 膠槍 50ML 金屬扣 1 比 1 2 比 1 通用

AB 膠槍 50ML 塑膠扣 1 比 1 2 比 1 通用


AB 膠槍 50ML 1 比 1 專用膠槍



AB 膠槍 75ML 10 比 1 專用膠槍



單液 30CC



單液 55CC





AB 膠槍的安裝方法如下：

產品操作簡單,方便耐用,專門用來塗抹或滴注各種雙組份膠粘劑或塗料,能徹底解決雙組份膠粘產品混合不均勻的難題。

第一步：先將推杆從前端插入裝好。

先把膠槍尾部的卡杆向上推起，然後將推杆從前端插入，直到推杆完全插入膠槍中。

第二步：測試推杆是否安裝正確。

裝好後，用手握住槍柄，然後捏緊扳手，每捏一下，推杆應該推進一步，如果不對，請檢查是否裝好。

第三步：進行正常打膠工作。

將推杆向後推到底，並將膠槍頂部的按扣向上打開，然後將 **UV** 膠尾部的外塞取下。

第四步：將 **UV** 膠筒裝入膠槍中

一定要卡到位，然後將頂部的按鈕按下卡好，就可以上膠水了。

第五步：將 **UV** 膠筒前端膠阻的外塞取下，即可施膠。