


304 不銹鋼花籃螺絲 CC 型&00 型




00 型資料：




SIZE	C (mm)	D (mm)	L (mm)	L1 (mm)	Adjustable distance (mm)	Package (Pcs/Bag)	Approx.Weight (Kg/1000Pcs)
M4	9.3	5.0	60.0	107.0	39.0	100	35.8
M5	9.7	5.0	73.0	124.0	59.0	100	39.5
M6	10.5	6.0	91.0	150.0	64.0	50	77.6
M8	12.5	8.0	122.8	192.0	96.0	20	134.8
M10	15.0	10.0	150.0	240.0	115.0	10	265.0
M12	17.5	12.0	197.0	303.0	163.0	10	486.0
M16	26.5	16.0	248.0	385.0	193.0	2	1014.0
M20	30.1	20.0	299.0	465.0	232.0	2	1968.0
M24	24.9	24.0	356.0	531.0	269.0	2	3399.0

CC 型資料：



SIZE	D (mm)	S (mm)	L (mm)	L1 (mm)	Adjustable distance (mm)	Package (Pcs/Bag)	Approx.W (Kg/1000Pcs)
M4	5.0	7.5	60.0	107.0	39.0	100	35.3
M5	5.0	7.5	73.0	124.0	59.0	100	38.5
M6	6.0	9.6	91.0	150.0	64.0	50	76.0
M8	8.0	9.6	122.8	192.0	96.0	20	129.5
M10	10.0	11.3	150.0	240.0	115.0	10	261.0
M12	12.0	18.4	197.0	303.0	163.0	10	475.0
M16	16.0	21.8	248.0	385.0	193.0	2	999.0
M20	20.0	22.1	299.0	465.0	232.0	2	1950.0
M24	24.0	23.7	356.0	531.0	269.0	2	3380.0



反牙圈

The tooth circle

焊缝饱满，结实牢固，震光
处理，表面无毛刺



螺纹深邃

Thread depth

螺纹精准、深邃，拧紧密实
旋转不会发生打滑现象，杜
绝使用中安全隐患

