


尼龙六角隔离柱



产品参数

PRODUCT PARAMETER



尺寸说明：例如：M3*5指螺纹直径为3mm,柱体长度为5mm

型 号 Item No.	螺纹规格 A B	柱体长度 L	六角对边 H	螺距 Pitch	包 装 Packing
M2*5	M2	5	4	0.4	1000pcs
M2*6		6			
M2*8		8			
M2*10		10			
M2*12		12			
M2*15		15			
M2*18		18			
M2.5*5	M2.5	5	4.7	0.45	1000pcs
M2.5*6		6			
M2.5*8		8			
M2.5*10		10			
M2.5*12		12			
M2.5*15		15			
M2.5*18		18			
M2.5*20		20			

型 号 Item No.	螺纹规格 A B	柱体长度 L	六角对边 H	螺距 Pitch	包 装 Packing
M3*5	M3	5	5.6	0.5	1000pcs
M3*6		6			
M3*7		7			
M3*8		8			
M3*9		9			
M3*10		10			
M3*11		11			
M3*12		12			
M3*13		13			
M3*15		15			
M3*16		16			
M3*18	M3	18	5.6	0.5	1000pcs
M3*20		20			
M3*21		21			
M3*22		22			
M3*25		25			
M3*30		30			
M3*35		35			
M3*40		40			
M3*45	45				

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

型号 Item No.	螺纹规格 A B	柱体长度 L	六角对边 H	螺距 Pitch	包装 Packing
M4*6	M4	6	7	0.7	1000pcs
M4*7		7			
M4*8		8			
M4*9		9			
M4*10		10			
M4*12		12			
M4*13		13			
M4*15		15			
M4*18		18			
M4*19	M4	19	7	0.7	1000pcs
M4*20		20			
M4*22		22			
M4*25		25			
M4*30		30			
M4*35		35			
M4*40		40			
M4*45		45			

型号 Item No.	螺纹规格 A B	柱体长度 L	六角对边 H	螺距 Pitch	包装 Packing
M5*10	M5	10	8	0.8	500pcs
M5*15		15			
M5*20		20			
M5*25		25			
M5*30		30			
M5*35		35			
M5*40		40			
M5*45		45			
M5*50		50			

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)