


勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

鍍鋅防松螺母 美制自鎖螺母



COMMODITY | 商品参数
PARAMETER



把1英寸分成16等分，那么一段的长度就是1/16，二段的长度就是2/16，简化后为1/8，以此类推！七段的长度就是7/16，八段就是16/8.....

把1英寸分成64等分，那么一段的长度就是1/64，二段的长度就是2/64，简化后为1/32，以此类推！七段的长度就是7/16，八段就是16/8.....

公英制换算

1英寸=25.4mm
1/8英寸=25.4*1/8=3.175mm
1/2英寸=25.4*1/2=12.7mm
以此类推.....

英制牙距换算

1/4-20:表示螺纹直径1/4英寸，20表示螺距，意思是1英寸长的距离有20圈螺纹，换成公制，牙距为25.4mm/20=1.27mm

3/8-16:表示螺纹直径3/8英寸，16表示螺距，意思是1英寸长的距离有16圈螺纹，换成公制，牙距为25.4mm/16=1.5875mm，以此类推....

公制英制螺纹牙距表

公制	牙距			英制 美制	称呼	牙数		
	粗牙	细牙	极细牙			粗牙	细牙	韦氏牙
M3	0.5	0.35		4#	1.9	40	48	
M4	0.7	0.5		6#	3.5	32	40	
M5	0.8	0.5		8#	4.2	32	36	
M6	1.0	0.75		10#	4.8	24	32	
M7	1	0.75		12#	5.5	24	28	
M8	1.25	1.0	0.75	1/4	6.35	20	28	20
M10	1.5	1.25	1.0	5/16	7.94	18	24	18
M12	1.75	1.5	1.25	3/8	9.53	16	24	16
M14	2.0	1.5	1.0	7/16	11.11	14	20	14
M16	2.0	1.5	1.0	1/2	12.7	13	20	12
M18	2.5	2.0	1.5	9/16	14.29	12	18	12
M20	2.5	2.0	1.5	5/8	15.86	11	18	11
M22	2.5	2.0	1.5	3/4	19.05	10	16	10
M24	3.0	2.0	1.5	7/8	22.23	9	14	9
M27	3.0	2.0	1.5	1	25.4	8	12	8
M30	3.5	3.0	2.0					

COMMODITY | 商品细节

ALL INFORMATION CONTAINED HEREIN IS PROVIDED AS IS WITHOUT WARRANTY OF ANY KIND, INCLUDING MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. THE USER ASSUMES ALL LIABILITY FOR ANY DAMAGE, LOSS, OR INJURY CAUSED BY THE USE OF THIS INFORMATION. THE USER AGREES TO HOLD THE PROVIDER HARMLESS FROM AND AGAINST ALL SUCH DAMAGES, LOSSES, AND INJURIES.

