



专业级铬钒钢扳手采用优质铬钒钢锻造而成,是装修专业人士的不二选择

工业级产品

优质加厚铬钒钢材质



Consider more 三箭为您考虑了更多
精准数据 面面俱到



棘轮扳手尺寸对照表

RATCHET WRENCH SIZE TABLE

货号	规格	圆头端厚度	圆头端外侧宽度	开口端厚度	开口端外侧宽度	总长
ODS 001	8mm	7.4mm	18.0mm	5.0mm	17.5mm	140mm
ODS 002	9mm	7.5mm	20.0mm	5.5mm	20.0mm	150mm
ODS 003	10mm	7.5mm	22.0mm	6.0mm	22.0mm	160mm
ODS 004	11mm	8.5mm	24.0mm	6.0mm	25.0mm	170mm
ODS 005	12mm	9.0mm	25.0mm	6.5mm	27.0mm	180mm
ODS 006	13mm	9.5mm	26.5mm	6.5mm	30.0mm	190mm
ODS 007	14mm	9.5mm	28.5mm	7.0mm	32.0mm	200mm
ODS 008	15mm	10.0mm	30.0mm	7.5mm	34.0mm	210mm
ODS 009	16mm	10.5mm	31.5mm	7.5mm	37.0mm	220mm
ODS 010	17mm	10.5mm	33.0mm	8.0mm	39.0mm	230mm
ODS 011	18mm	11.0mm	35.0mm	8.5mm	42.0mm	240mm
ODS 012	19mm	11.4mm	36.0mm	9.0mm	43.5mm	250mm





04 精密棘轮72齿设计

精密棘轮72齿设计，采用铬钒钢50BV30材质
强硬度，经磷化处理，不易生锈。

公制外六角螺母和套筒（梅花）扳手对边尺寸对照表		
六角头螺母尺寸	对应扳手(新标)	对应扳手 (旧标)
M3	5.5MM	5.5MM
M4	7MM	7MM
M5	8MM	8MM
M6	10MM	10MM
M8	13MM	14MM
M10	16MM	17MM
M12	18MM	19MM
M14	21MM	22MM
M16	24MM	24MM
M18	27MM	27MM
M20	30MM	30MM
M22	32MM	32MM