

T-Handle Tools

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



Handle and blade are securely welded and will never loosen or slip.



Color Coded

- Inch
- Metric
- Star




High Torque Steel:

- Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.



Corrosion-resistant finish:

- Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.




Heavy duty handle generates a flywheel effect for super fast insertion or removal of screws.

Handle is shaped for comfort and control, and is ergonomically superior to older style straight handles.

Available in 6, 9", and graduated blade lengths

Cushioned feel reduces fatigue



Handle sizes are engineered to match blade torque capabilities:

The 5/32, 3/16", 4 and 5mm blades, in ball end sets, have smaller handles to prevent over-torquing.



The 3/32, 7/64, 1/8, 9/64" and 2, 2.5 and 3mm blades are always straight hex tips to prevent breakage. A T-Handle could easily over-torque and break smaller size ball end tips.

T-Handle Sets

Hex, Ball End & Star Sets with ProGuard™ finish



Inch Sizes



				ProHold® Tip			Balldriver® Tip			Hex Tip		
SIZE	PCS	LENGTH	W/STAND	PART#	MODEL#	LIST EA	PART#	MODEL#	LIST EA	PART#	MODEL#	LIST EA
3/32 – 1/4	8	Graduated								13332	HTX80	
"	"	8 6 inch								15232	HTX80-6	
"	"	8 9 inch								15332	HTX80-9	
3/32 – 3/8	10	Graduated	✓				*13190	BTX10/S		*13390	HTX10/S	
"	"	10 "					*13138	BTX10		13338	HTX10	
"	"	10 6 inch	✓							*15290	HTX10/S-6	
"	"	10 "								15238	HTX10-6	
"	"	10 9 inch	✓							*15390	HTX10/S-9	
"	"	10 "								15338	HTX10-9	
5/32 – 3/8	6	Graduated		75146	PBTX60		13146	BTX60				

Metric Sizes



				ProHold® Tip			Balldriver® Tip			Hex Tip		
SIZE	PCS	LENGTH	W/STAND	PART#	MODEL#	LIST EA	PART#	MODEL#	LIST EA	PART#	MODEL#	LIST EA
2 – 6mm	6	Graduated								13348	HTX60M	
"	"	6 6 inch								15248	HTX60M-6	
"	"	6 9 inch								15348	HTX60M-9	
2 – 10mm	8	Graduated	✓				*13189	BTX80M/S		*13389	HTX80M/S	
"	"	8 "					*13187	BTX80M		13387	HTX80M	
"	"	8 6 inch	✓							*15289	HTX80M/S-6	
"	"	8 "								15287	HTX80M-6	
"	"	8 9 inch	✓							*15389	HTX80M/S-9	
"	"	8 "								15387	HTX80M-9	
4 – 10mm	5	Graduated		75148	PBTX50M		13148	BTX50M				

*The 3/32, 7/64, 1/8, and 9/64 inch blades, and the 2, 2.5 and 3mm blades are straight hex blades to prevent breakage.

† With stand

Star Sets with Stand



ProHold® Tip

SIZE	PCS	LENGTH	W/STAND	PART#	MODEL#	LIST EA
T9 – T40	8	Graduated	✓	74034	PHTHX8	




Star Tip

SIZE	PCS	LENGTH	W/STAND	PART#	MODEL#	LIST EA
T9 – T40	8	Graduated	✓	33034	TTHX8	

Bondhus also has loop T-handles available.
Please call for price and availability.

Star Singles — Graduated Lengths



ProHold® Tip

SIZE	QTY	INCH	MM	PART#	LIST EA	Star Tip	LIST EA
T9	2	6.1	155	74009		33009	
T10	2	6.4	161	74010		33010	
T15	2	6.6	168	74015		33015	
T20	2	6.9	174	74020		33020	
T25	2	7.1	180	74025		33025	
T27	2	7.4	187	74027		33027	
T30	2	7.6	193	74030		33030	
T40	2	7.9	199	74040		33040	
T45	2	8.1	206	74045		33045	
T50	2	8.4	213	74050		33050	
T55	2	8.6	218	74055		33055	



T-Handle Singles

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

T-Handle Singles with ProGuard™ finish

Inch Sizes		Graduated Length ProHold® Tip				Graduated Length Balldriver® Tip				Graduated Length Hex Tip			
SIZE	QTY	PART#	INCH	MM	LIST EA	PART#	INCH	MM	LIST EA	PART#	INCH	MM	LIST EA
3/32	2					13205 Hex*	6.1	154		13305	4.2	105	
7/64	2					13206 Hex*	6.8	173		13306	4.4	112	
1/8	2					13207 Hex*	7.6	192		13307	4.6	118	
9/64	2					13208 Hex*	8.3	211		13308	4.9	124	
5/32	2	75109	9.1	231		13109	9.1	231		13309	5.2	132	
3/16	2	75110	9.8	250		13110	9.8	250		13310	5.6	141	
7/32	2	75111	10.3	262		13111	10.3	262		13311	6.1	154	
1/4	2	75112	10.8	275		13112	10.8	275		13312	6.5	165	
5/16	2	75113	11.4	289		13113	11.4	289		13313	7.4	189	
3/8	2	75114	11.8	300		13114	11.8	300		13314	8.3	211	

Metric Sizes		Graduated Length ProHold® Tip				Graduated Length Balldriver® Tip				Graduated Length Hex Tip			
SIZE	QTY	PART#	INCH	MM	LIST EA	PART#	INCH	MM	LIST EA	PART#	INCH	MM	LIST EA
2.0	2					13252 Hex*	5.9	150		13352	4.0	100	
2.5	2					13254 Hex*	6.8	172		13354	4.3	110	
3	2					13256 Hex*	7.7	196		13356	4.7	120	
4	2	75160	8.7	220		13160	8.7	220		13360	5.3	136	
5	2	75164	9.7	246		13164	9.7	246		13364	5.9	150	
6	2	75168	10.5	266		13168	10.5	266		13368	6.8	173	
8	2	75172	11.2	285		13172	11.2	285		13372	7.9	202	
10	2	75176	12.1	307		13176	12.1	307		13376	9.1	232	

* The 3/32, 7/64, 1/8, and 9/64 inch blades, and the 2, 2.5 and 3mm blades are straight hex blades to prevent breakage.

Inch Sizes		6" – Hex Tip				9" – Hex Tip			
SIZE	QTY	PART#	INCH	MM	LIST EA	PART#	INCH	MM	LIST EA
3/32	2	15205	6.0	152		15305	9.0	229	
7/64	2	15206	6.0	152		15306	9.0	229	
1/8	2	15207	6.0	152		15307	9.0	229	
9/64	2	15208	6.0	152		15308	9.0	229	
5/32	2	15209	6.0	152		15309	9.0	229	
3/16	2	15210	6.0	152		15310	9.0	229	
7/32	2	15211	6.0	152		15311	9.0	229	
1/4	2	15212	6.0	152		15312	9.0	229	
5/16	2	15213	6.0	152		15313	9.0	229	
3/8	2	15214	6.0	152		15314	9.0	229	
1/2	1	15216	6.0	152		15316	9.0	229	

Metric Sizes		6" – Hex Tip				9" – Hex Tip			
SIZE	QTY	PART#	INCH	MM	LIST EA	PART#	INCH	MM	LIST EA
2.0	2	15252	6.0	152		15352	9.0	229	
2.5	2	15254	6.0	152		15354	9.0	229	
3	2	15256	6.0	152		15356	9.0	229	
4	2	15260	6.0	152		15360	9.0	229	
5	2	15264	6.0	152		15364	9.0	229	
6	2	15268	6.0	152		15368	9.0	229	
8	2	15272	6.0	152		15372	9.0	229	
10	2	15276	6.0	152		15376	9.0	229	

Bondhus also has loop T-handles available. Please call for price and availability.

T-Handle Stands



Molded T-handle Stands

PART#	QTY	DESCRIPTION	LIST EA
17936	1	Inch Stand	
17935	1	Metric Stand	
17934	1	Star Stand	



Set stand on bench or mount on wall.

Made in USA