

1/2" 鉻釩鋼長套筒

勝特力材料 886-3-5753170

勝特力电子(上海) 86-21-34970699

勝特力电子(深圳) 86-755-83298787

[Http://www.100y.com.tw](http://www.100y.com.tw)

1/2 鏡面長套筒



套筒綜合特点

工業級鉻釩合金鋼
多道工藝精制

整體熱處理 硬度高
韌性好 緊固耐用



表面電鍍
套筒精拋不易生銹
使用壽命更久

产品参数

多款产品 任您选择

二分之一长套筒

规格	长度	套筒深度	套筒外径
8mm	78.0mm	22.5mm	13.4mm
9mm	78.2mm	22.5mm	14.4mm
10mm	78.1mm	22.5mm	15.2mm
11mm	77.0mm	21.1mm	16.7mm
12mm	77.9mm	22.9mm	18.2mm
13mm	77.9mm	23.4mm	19.5mm
14mm	78.0mm	38.5mm	20.5mm
15mm	78.0mm	37.3mm	19.8mm
16mm	78.0mm	36.5mm	21.6mm
17mm	78.0mm	35.6mm	23.7mm
18mm	78.2mm	36.3mm	25.7mm
19mm	78.1mm	34.4mm	25.7mm
20mm	77.8mm	34.8mm	27.6mm
21mm	77.9mm	31.6mm	27.6mm
22mm	77.9mm	36mm	29.7mm
23mm	78.0mm	35.4mm	30.6mm
24mm	78.1mm	35.4mm	31.6mm
27mm	77.9mm	36.2mm	35.5mm
30mm	78.1mm	31.8mm	39.7mm
32mm	77.1mm	38.2mm	41.5mm

*手工测量可能存在一定误差 请以实物为准



棘轮扳手规格说明

$\frac{1}{4}$

小飞(6.3mm)

$\frac{3}{8}$

中飞(10mm)

$\frac{1}{2}$

大飞(12.5mm)

棘轮扳手规格分为三种

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)