

MASTECH_MS8902A 驗電筆

Non Contact AC voltage Detector



產品特點

- 聲光指示
- 雙成形殼
- 操作溫度：0°C~50°C
- 儲存溫度：-20°C~60°C
- 濕度：<85%RH
- 海拔高度：<2000m

Features

- Sound and light instruction
- AC Voltage sensitivity adjustment
- Auto power off
- Memory sensitivity function
- Altitude <2000m

Specifications

規格	MS8902A
非接觸式電壓測試器 / 交流電壓範圍	12~1000V
頻率	50Hz~500Hz

Electrical Testers : MS8902

Specifications	MS8902A	MS8902B	MS8902H
Non-Contact AC Voltage Detector / AC Voltage Range	12~1000V	20~1000V	100~1000V
Frequency	50Hz~500Hz	50Hz~500Hz	50Hz~500Hz

Features

Features	MS8902A	MS8902B	MS8902H
Sound and Light Instruction	●	●	●
Double Molded Case	●	●	●
Metal Detecting Distance	x	<20mm	x
AC Voltage Sensitivity adjustment	●	●	
Memory Sensitivity function	●	●	
Auto Power Off	●	●	
Low Battery Indication		●	
Operating Temperature	-10°C~50°C		
Storage Temperature	-20°C~60°C		
Storage Humidity	<85%RH		
Altitude	<2000m		

General

- 產品尺寸：157mmx24mmx20mm/6.18"x0.94"x0.78"
- 產品重量：42克/0.09磅
- 電 源：2x1.5V AAA 電池
- 認 證：CE / ETL / RoHS
- 安全等級：CAT II 1000V / CAT III 600V

General	MS8902A	MS8902B	MS8902H
Power Supply	2x1.5V AAA	1x12V A23S	2x1.5V AAA
Product Size	157mmx24mmx20 mm/6.18"x0.94"x0.78"		
Product Weight	42g/0.09lb		
Certificate	CE / ETL / RoHS		
Safety Rating	CAT II 1000V / CAT III 600V		

Accessories Included

- 電池和用戶手冊
- Battery and User's manual