

SJ上匠

FOUR WITH
上匠四用棘轮



- 铬钒钢
- 够硬度
- 够耐磨

告别这个

Say goodbye to this Try that one

试试下面那个



品质铬钒钢
镜面抛光

双头双用
一把四个规格



例如：16-18-19-21

16mm

正面


19mm



18mm

反面

21mm



扳手和内六角使用小常识

公制外六角螺栓对应扳手和套筒对边尺寸参照表				公制内六角螺栓对应内六角扳手对边尺寸参照表			
螺栓规格	扳手或套筒规格	螺栓规格	扳手或套筒规格	螺栓规格	内六角扳手规格	螺栓规格	内六角扳手规格
M3	5.5mm	M20	30mm	M3	2.5mm	M16	14mm
M4	7mm	M22	34mm	M4	3mm	M18	14mm
M5	8mm	M24	36mm	M5	4mm	M20	17mm
M6	10mm	M27	41mm	M6	5mm	M22	17mm
M8	13mm(14mm)	M30	46mm	M8	6mm	M24	19mm
M10	16mm(17mm)	M33	50mm	M10	8mm	M27	19mm
M12	18mm(19mm)	M36	55mm	M12	10mm	M36	24mm
M14	21mm(22mm)	M39	60mm	M14	12mm	M42	27mm
M16	24mm	M42	65mm				
M18	27mm	M45	70mm				

注：括号内的规格为GB标准



品牌logo
品质稳定



整体热处理，扭矩强