

PARAMETER

产品参数

规格多样 方便您的选择

At the same time, to facilitate the branches and
leaves, flowers smooth, smooth away from the knife edge
The angle of the blade opening is different, and the field of use is different

1/4(6.3mm)小飞12件套

1/4 (6.3mm) 12 sets of boats

1件 (6.3mm接口) 小飞棘轮扳手

1件4寸 (100mm) 接杆

10件短套筒

4 5 6 7 8 9

10 12 13 14mm



接口 (6.3mm)

CR-V铬钒钢锻造

1/4(6.3mm)小飞28件套

1/4 (6.3mm) 28sets of boats

12件短套筒: 4 4.5 5 5.5 6 7
8 9 10 12 13 14mm

一字: 4 5.5 7

十字: PH1 PH2

内六角: 3 4 5 6

梅花: T10 15 20

25 30



CR-V铬钒钢锻造

3/8(9.5mm)中飞20件套

20parts flying in 3/8 (10mm)

1件 (9.5mm接口) 中飞棘轮扳手

1件6寸 接杆

18件短套筒

6 7 8 9 10 11 12 13 14 15

16 17 18 19

20 21 22 24mm



接口 (9.5mm)

CR-V铬钒钢锻造



12件大飞短套筒



12件大飞长套筒



12件大飞
气动短套筒



12件大飞
气动长套筒

1/2 (12.5mm) 大飞12件参数

1件 (12.5mm) 接口大飞棘轮扳手

1件5寸接杆

10件套筒

8 9 10 12 13 14 17 19 22 24



12件大飞短批头



12件大飞长批头

1/2 (12.5mm) 大飞12件参数

1件 (12.5mm) 接口大飞棘轮扳手

1件5寸接杆

内六角批头 H4 5 6 8 10 梅花 T20 25 30 40 50