

勝特力電材超市-龍山店 886-3-5773766
勝特力電材超市-光復店 886-3-5729570
勝特力電子(上海) 86-21-34970699
勝特力電子(深圳) 86-755-83298787
<http://www.100y.com.tw>

PRODUCT PARAMETERS | 产品参数

ANEX tool has always been dedicated to creating a perfect screwdriver, treating the needs of customers as the pursuit of products and striving to make every tool well.



Φ1.2~2.0 Φ2.5~3.2 Φ2.0~2.5 Φ0.1~1.1

型号	可应用的尺寸	d	L	W	包装尺寸
No.94 附3支钻头 (高速钢): Φ2.0 Φ2.5 Φ3.0	0.1~3.2mm	Φ10	102	15	185*115mm

PRODUCT PARAMETERS | 产品参数

ANEX tool has always been dedicated to creating a perfect screwdriver, treating the needs of customers as the pursuit of products and striving to make every tool well.



Φ0.1~1.0

型号	可应用的尺寸	d	L	W	包装尺寸
No.95	0.1~1.0mm	Φ8	97	13	160*40mm

PRODUCT PARAMETERS | 产品参数

ANEX tool has always been dedicated to creating a perfect screwdriver, treating the needs of customers as the pursuit of products and striving to make every tool well.




Φ 2.0~2.5

Φ 0.1~1.1

Φ 1.2~2.0

Φ 2.5~3.2

型号	可应用的尺寸		包装尺寸
No.99 附3支钻头 (高速钢) : Φ2.0 Φ2.5 Φ3.0	0.1~3.2mm	Φ10 65 6.35	185*70mm

PRODUCT INTRODUCTION | 产品介绍

ANEX tool has always been dedicated to creating a perfect screwdriver, treating the needs of customers as the pursuit of products and striving to make every tool well.

No.96

针钳单头式 **电动钻头用**

0.1-2.0mm (不含钻头)

四爪精密夹头

No.96为单头针钳, 含1种规格夹头, 适合0.1-2mm规格钻头

片头式钻头

该款针钳可配合**电钻**使用
电动夹头, 也可配合**迷你
螺丝刀手柄**使用
适用标准杆**6.35**;

精密夹头支架

齿轮设计增加摩擦力, 夹头夹持钻头
由支架控制, 钻头越小, 支架拧越紧



PRODUCT PARAMETERS | 产品参数

ANEX tool has always been dedicated to creating a perfect screwdriver, treating the needs of customers as the pursuit of products and striving to make every tool well.



Φ 1.2~2.0



Φ 2.5~3.2



Φ 2.0~2.5



Φ 0.1~1.1

型号	可应用的尺寸	d	L	W	包装尺寸
No.98	0.1~3.2mm	Φ10	102	15	160*50mm

PRODUCT PARAMETERS | 产品参数

ANEX tool has always been dedicated to creating a perfect screwdriver, treating the needs of customers as the pursuit of products and striving to make every tool well.



Φ 1.2~2.0



Φ 2.5~3.2



Φ 2.0~2.5



Φ 0.1~1.1

型号	可应用的尺寸	d	L	W	包装尺寸
No.98-R	0.1~3.2mm	Φ10	102	15	160*50mm

PRODUCT
PARAMETERS

产品参数

ANEX tool has always been dedicated to creating a perfect screwdriver,
treating the needs of customers as the pursuit of
products and striving to make every tool well.





 $\Phi 1.2\sim 2.0$


 $\Phi 2.5\sim 3.2$


 $\Phi 2.0\sim 2.5$


 $\Phi 0.1\sim 1.1$

型号	可应用的尺寸		包装尺寸
		dLW	
No.98-ST	0.1~3.2mm	$\Phi 10$ 10215	160*50mm

PRODUCT
PARAMETERS

产品参数

ANEX tool has always been dedicated to creating a perfect screwdriver,
treating the needs of customers as the pursuit of
products and striving to make every tool well.





 $\Phi 2.0\sim 2.5$


 $\Phi 0.1\sim 1.1$


 $\Phi 1.2\sim 2.0$


 $\Phi 2.5\sim 3.2$

型号	可应用的尺寸		包装尺寸
		dLW	
No.99 附3支钻头（高速钢）： $\Phi 2.0$ $\Phi 2.5$ $\Phi 3.0$	0.1~3.2mm	$\Phi 10$ 656.35	185*70mm