

6.19150.00 DS 150

350 Watt Bench Grinder DS 150

- Small and space-saving workshop machine
- Low-noise and low-vibration, maintenance-free induction motor
- Motor for single phase alternating current
- Protective cover bayonet lock for quick and simple disc change
- Workpiece support adjustable without tools
- Large spark protection guards for optimum eye protection
- Vibration-damping rubber feet

Comparative technical values

Grinding wheels (Ø x thickness x bore)	150 x 20 x 20 mm
Idle revolution	2.980 /min
Rated input power	350 W
Output power	200 W
Moment of tilt	1,1 Nm
Weight	9,5 kg

Scope of delivery

normal corundum grinding wheels 36 P and 60 N, spark protection glasses, workpiece support,
Hexagonal wrench

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

metabo
work. don't play.

麦太保产品
台式/立式砂轮机



打磨支架
高度: 800MM



技术优势

- 坚固铝合金轮罩
- 运行稳定低噪音
- 马达强劲，经久耐用
- 可以连接吸尘器，无尘研磨



技术参数

	DS 125	DS 150
砂轮尺寸	125×20×20 毫米	150×20×20 毫米
最高转速	2980 转/分钟	2980 转/分钟
额定输入功率	200 瓦	350 瓦
输出功率	130 瓦	200 瓦
失速扭矩	0.9 牛·米	1.1 牛·米
重量	7.5 千克	9.5 千克
电压	220 伏/单相	220 伏/单相
台式订货号	619125000	619150000
立式订货号		619150000 + 623867000



技术参数

	DS 175	DS 200
砂轮尺寸	175×25×32 毫米	200×25×32 毫米
最高转速	2980 转/分钟	2980 转/分钟
额定输入功率	500 瓦	600 瓦
输出功率	310 瓦	370 瓦
失速扭矩	2.3 牛顿米	2.6 牛顿米
重量	14.5 千克	16.3 千克
电压	220 伏/单相	220 伏/单相
台式订货号	619175000	619200000
立式订货号	619175000 + 623867000	619200000 + 623867000



技术参数

	DSD 200	DSD 250
砂轮尺寸	200×25×32 毫米	250×40×51 毫米
最高转速	2980 转/分钟	1490 转/分钟
额定输入功率	750 瓦	900 瓦
输出功率	450 瓦	540 瓦
失速扭矩	6.2 牛顿米	10 牛顿米
重量	16 千克	33.3 千克
电压	380 伏/三相	380 伏/三相
台式订货号	619201000	619250000
立式订货号	619201000 + 623867000	619250000 + 623867000

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)