

TYPE D

DC001LGNO, DC003LGNO DC005LGNO, DC007LGNO, DC009LGNO

TYPE D
DCXXXLGNO Series



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



Example: DC005LGNO



TECHNICAL DATA

- Color: Light gray, similar to RAL 7035.
- Material: UL94-HB rating of ABS.
- Recommended working temperature: -20°C to +80°C.
- Ingress Protection: IP 65 certified, EPDM gasket pre-installed.

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Gasket pre-installed




Gray lid






Terminal compartment lid

Part No.	Product description	Dimension (LXWXD, mm)
DC001LGNO	Dual compartment box	166X161X93
DC003LGNO	Dual compartment box	166X161X121
DC005LGNO	Dual compartment box	213X185X104.5
DC007LGNO	Dual compartment box	256X217X132.5
DC009LGNO	Dual compartment box	296X281X158






勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



	DIMENSION	CABLE GLAND
A	15.6mm	PG 9(OR M12)
B	19.0mm	PG 11(OR M16)
C	20.8mm	PG 13.5(OR M20)

According to ISO 2768-m	
Measuring DIM=L	Tolerances
0.5<L<=3.0mm	±0.1mm
3.0<L<=6.0 mm	±0.1mm
6.0<L<=30.0 mm	±0.2mm
30.0<L<=120.0 mm	±0.3mm
120.0<L<=400.0 mm	±0.5mm
400.0<L<=1000.0 mm	±0.8mm

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



	DIMENSION	CABLE GLAND
A	15.6mm	PG 9(OR M12)
B	19.0mm	PG 11(OR M16)
C	20.8mm	PG 13.5(OR M20)

According to ISO 2768-m	
Measuring DIM=L	Tolerances
0.5<L<=3.0mm	±0.1mm
3.0<L<=6.0 mm	±0.1mm
6.0<L<=30.0 mm	±0.2mm
30.0<L<=120.0 mm	±0.3mm
120.0<L<=400.0 mm	±0.5mm
400.0<L<=1000.0 mm	±0.8mm

TYPE A DCXXXCUL SERIES



1. Cabinets



2. Transparent lid



3. Terminal compartment lid



4. Hinge clip



5. Hinge bar



6. Locking hook



7. Lower locking hook



8. Screws for terminal compartment lid use
remark: M4X25MM self tapping screws(2pcs)

TYPE B DCXXXCBU SERIES



1. Cabinets



2. Transparent blue lid



3. Terminal compartment lid



4. Hinge clip



5. Hinge bar



6. Locking hook




7. Lower locking hook



8. Screws for terminal compartment lid use
remark: M4X25MM self tapping screws(2pcs)

TYPE C DCXXXCBUNO SERIES



1. Cabinets



2. Transparent blue lid



3. Terminal compartment lid




4. Screws for transparent blue lid use
remark: M5.5X27MM self tapping screws(4pcs)



5. Screws for terminal compartment lid use
remark: M4X25MM self tapping screws(2pcs)

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

TYPE D DCXXXLGNO SERIES



1. Cabinets



2. Gray lid



3. Terminal compartment lid



4. Screws for gray lid use
remark: M5.5X27MM self tapping screws(4pcs)



5. Screws for terminal compartment lid use
remark: M4X25MM self tapping screws(2pcs)