


※ 補償導線規格 Standard For Thermocouple Extension Wire

Tgermocouple Type		JIS C1610 (1981)			ANSI MC96-1 (1975)		Materials		
		Type of Extension wires		Classification by Use and Tolerance	Type of Extension wires	Classification by Use and Tolerance			
Symbol	Former Symbol	Symbol	Former Symbol				Symbol		+
B	—	BX-G	—	一般用普通級 Type G	—	—	Copper	Copper	
R S	—	RX-G	—	一般用普通級 Type G			Copper	Constan- tan	
		SX-G	—						
		RX-H	—	耐熱用普通級 Type H					
		SX-H	—						
K	C A	KX-G	WCA-G	一般用普通級 Type G	KX	Standard	Chromel	Alumel	
		KX-GS	WCA-GS	一般用精密級 Type GS					
		KX-H	WCA-H	耐熱用普通級 Type H					
		KX-HS	WCA-HS	耐熱用精密級 Type H	WX	Standard	Iron	Constan- tan	
		WX-G	WCA-G	一般用普通級 Type G					
		WX-H	WCA-H	耐熱用普通級 Type H					
		VX-G	WCA-G	一般用普通級 Type G					VX
E	CRC	EX-G	WCRC-G	一般用普通級 Type G	VX	Standard	Chromel	Constan- tan	
		EX-H	WCRC-H	耐熱用普通級 Type H					
J	IC	JX-G	WIC-G	一般用普通級 Type G	JX	JX-ST	Standard	Iron	Constan- tan
		JX-H	WIC-H	耐熱用普通級 Type H		JX-SP	Special		
T	CC	TX-G	WCC-G	一般用普通級 Type G	TX	TX-ST	Standard	Copper	Constan- tan
		TX-GS	—	一般用普通級 Type G					
		TX-H	WCC-H	耐熱用普通級 Type H		TX-SP	Special		
		TX-HS	—	耐熱用精密級 Type HS					

※ 補償導線 容許差 Tolerance of Thermocouple Extension Wire

					Http://www.100y.com	
Symbol	Temp. of Connected Point With Thermocouple °C	Tolerance °C	Symbol	Temp. Range	Tolerance °C	
					Standard	Speical
BX-G	0~100		BX	0~100	+0,-3.7	—
RX-G SX-G RX-H SX-H	0~150	+3.0 -7.0	RX SX	0~200	±5	—
KX-G	-20~150	±2.5	KX	0~200	±2.2	—
KX-GS		±1.5				
KX-H		±2.5				
KX-HS		±1.5				
WX-G WX-H			±3.0	WX	0~100	±2.2
VX-G	-20~100	±2.5	VX	0~100	±2.2	—
EX-G EX-H	-20~150	±2.5	EX	0~200	±1.7	—
JX-G JX-H	-20~150	±2.5	JX	0~200	±2.2	±1.1
TX-G	-20~150	±2.0	TX	-60~100	±1.0	±0.5
TX-GS		±1.0				
TX-H		±2.0				
TX-HS		±1.0				



Characteristic Curves of RX

Characteristic Curves of KX, WX, and VX

※ 基本構造


平 型 Duplex Type


Type	構造 Construction	Type	構造 Construction
A		B	
C		D	
E			

丸 型 Pair Type

Type	構造 Construction	Type	構造 Construction
F		G	 ポリエステルテープ Polyester Tape
H		I	
J		K	
L		M	
N		P	
Q		R	
S		T	
W		X	
Y		Z	
#			

※ Extension Wires & Insulated Thermocouple Wires





勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)