

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



THE PENCH
 FC-106 / 150mm
 FC-107 / 175mm
 FC-108 / 200mm



THE NIPPERS
 FC-206 / 150mm




THE RADIO PENCH
 FC-306 / 150mm

70 Carbon Steel contains chrome vanadium is used

采用高碳铬钒钢制造

"The PENCH" keeps very smooth hinge action even

在严重生锈下，其开合胶位依然顺畅




采用内置不锈钢环

We have the continuous cutting test in 100,000 times on "The PENCH"

after which it showed no damages at all.

连续十万次切断测试，也不影响其使用功能


專利設計不銹環



规格							切断功能: (mmØ)			
Art.No.	Size	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	重量(g)	硬线	软线	内盒
FC-106	150	160	27	44	12.5	23	205	1.8	2.3	6
FC-107	175	185	31	46	13.5	24	260	2.0	2.6	6
FC-108	200	210	34	48	14.5	27	360	2.3	3.2	6
FC-206	150	163	22	51	11	15	165	1.8	2.3	6
FC-306	150	163	50	51	10	17	130	1.6	2.0	6

SIDE CUTTING PLIERS 电工平嘴钳

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)




Serration in jaw area ensures good work piece holding. With anti-friction cemented carbide tips. TYPE: Super Strong.

电工平嘴钳

规格							切断功能: (mmØ)			
Art.No.	Size	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	重量(g)	硬线	软线	内盒
P-106	150	160	27	44	12.5	23	205	1.8	2.3	6
P-107	175	185	31	46	13.5	24	260	2.0	2.6	6
P-108	200	210	34	48	14.5	27	360	2.3	3.2	6

LONG NOSE SIDE CUTTING PLIERS 电工尖嘴钳



电工尖嘴钳

规格							切断功能: (mmØ)			
Art.No.	Size	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	重量(g)	硬线	软线	内盒
T-308S	200	203	60	51	11	20	205	1.8	2.3	6
T-316S	150	163	50	51	10	17	130	1.6	2.0	6

T-346S	150	163	60	51	10	17	120	1.6	2.0	6
--------	-----	-----	----	----	----	----	-----	-----	-----	---

HEAVY DUTY DIAGONAL CUTTING PLIERS 电工斜嘴钳



电工斜嘴钳

规格							切断功能: (mmØ)			
Art.No.	Size	A(mm)	B(mm)	C(mm)	D(mm)	E(∠°)	重量(g)	硬线	软线	内盒
N-205S	125	133	20	51	10	15°	110	1.6	2.0	6
N-206S	150	163	22	51	11	15°	165	1.8	2.3	6
N-207S	175	188	25	53	12	20°	220	2.0	2.3	6

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)