



勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
 Http://www.100y.com.tw

## 0301 KSS 耐候性紮線帶 WEATHER RESISTANT NYLON CABLE TIE



材 質：採用 UL 合格之 NYLON66 製成，防火等級 94V-2，  
 不易老化，承受力強。

顏 色：黑色。

特 點：耐候性原料（抗紫外線），適合戶外使用。

















單 位： mm	型號 Item No.		長 L		寬 W		最大 束線 徑		承受力	
	100 pcs	1000 pcs	mm	inch	mm	mm	LBS	KGS		
	<input type="checkbox"/> CV-060W	<input type="checkbox"/> CV-060KW	63.7	2 1/2"	2.4	11	18	8		
	<input type="checkbox"/> CV-075W	<input type="checkbox"/> CV-075KW	75	3"	2.4	15	18	8		
	<input type="checkbox"/> CV-080W	<input type="checkbox"/> CV-080KW	80	3 1/8"	2.4	16	18	8		
	<input type="checkbox"/> CV-094W	<input type="checkbox"/> CV-094KW	96	3 3/4"	2.5	21	18	8		
	<input type="checkbox"/> CV-100W	<input type="checkbox"/> CV-100KW	100	4"	2.5	22	18	8		
	<input type="checkbox"/> CV-120SW	<input type="checkbox"/> CV-120SKW	120	4 3/4"	2.5	28	18	8		

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

<input type="checkbox"/> CV-120W	<input type="checkbox"/> CV-120KW	120	4 3/4"	3.2	27	40	18
<input type="checkbox"/> CV-120LW	<input type="checkbox"/> CV-120LKW	120	4 3/4"	4.8	22	50	22
<input type="checkbox"/> CV-120LL	<input type="checkbox"/> CV-120LLK	120	4 3/4"	7.6	22	120	55
<input type="checkbox"/> CV-140SW	<input type="checkbox"/> CV-140SKW	142	5 1/2"	2.5	35	18	8
<input type="checkbox"/> CV-140W	<input type="checkbox"/> CV-140KW	142	5 1/2"	3.2	34	40	18
<input type="checkbox"/> CV-150SW	<input type="checkbox"/> CV-150SKW	155	6 1/8"	2.5	39	18	8
<input type="checkbox"/> CV-150W	<input type="checkbox"/> CV-150KW	150	6"	3.6	36	40	18
<input type="checkbox"/> CV-150LW	<input type="checkbox"/> CV-150LKW	150	6"	7.6	32	120	55
<input type="checkbox"/> CV-160LW	<input type="checkbox"/> CV-160LKW	160	6 1/2"	4.8	39	50	22
<input type="checkbox"/> CV-165W	<input type="checkbox"/> CV-165KW	165	6 1/2"	2.5	43	18	8
<input type="checkbox"/> CV-180W	<input type="checkbox"/> CV-180KW	180	7"	3.6	46	40	18
<input type="checkbox"/> CV-190W	<input type="checkbox"/> CV-190KW	190	7 1/2"	4.8	49	50	22
<input type="checkbox"/> CV-200MW	<input type="checkbox"/> CV-200MKW	203	8"	2.5	55	18	8
<input type="checkbox"/> CV-200SW	<input type="checkbox"/> CV-200SKW	203	8"	3.2	53	40	18
<input type="checkbox"/> CV-200AW	<input type="checkbox"/> CV-200AKW	203	8"	3.6	52	40	18
<input type="checkbox"/> CV-200W	<input type="checkbox"/> CV-200KW	203	8"	4.6	52	50	22
<input type="checkbox"/> CV-200LW	<input type="checkbox"/> CV-200LKW	203	8"	7.6	52	120	55
<input type="checkbox"/> CV-240LW	<input type="checkbox"/> CV-240LKW	240	9 7/16"	7.6	61	120	55
<input type="checkbox"/> CV-250MW	<input type="checkbox"/> CV-250MKW	250	10"	3.6	68	40	18

<input type="checkbox"/> CV-250W	<input type="checkbox"/> CV-250KW	250	10"	4.8	68	50	22
<input type="checkbox"/> CV-265W	<input type="checkbox"/> CV-265KW	265	10 1/2"	3.6	73	40	18
<input type="checkbox"/> CV-280W	<input type="checkbox"/> CV-280KW	280	11"	4.8	77	50	22
<input type="checkbox"/> CV-280LW	<input type="checkbox"/> CV-280LKW	280	11"	7.6	74	120	55
<input type="checkbox"/> CV-292W	<input type="checkbox"/> CV-292KW	292	11 1/2"	3.6	82	40	18
<input type="checkbox"/> CV-300SW		300	11 5/8"	4.8	83	50	22
<input type="checkbox"/> CV-300W		300	11 7/8"	7.6	80	120	55
<input type="checkbox"/> CV-310W		310	12"	4.8	86	50	22
<input type="checkbox"/> CV-330W		330	13"	3.6	93	40	18
<input type="checkbox"/> CV-340W		340	13 1/2"	7.6	92	120	55
<input type="checkbox"/> CV-368W		368	14 1/2"	4.8	105	50	22
<input type="checkbox"/> CV-368SW		368	14 1/2"	3.6	105	40	18
<input type="checkbox"/> CV-380W		380	15"	7.6	105	120	55
<input type="checkbox"/> CV-380SW		380	15"	6.4	110	100	45
<input type="checkbox"/> CV-385W		385	15 3/16"	4.8	110	50	22
<input type="checkbox"/> CV-400SW		400	15 3/4"	2.5	116	18	8
<input type="checkbox"/> CV-432W		432	17"	4.8	125	50	22
<input type="checkbox"/> CV-450MW		450	17 3/4"	4.8	131	50	22
<input type="checkbox"/> CV-450W		450	17 3/4"	8.0	128	175	80

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

	CV-500LW	500	19 11/16"	8.0	143	175	80
	CV-500W	500	19 11/16"	4.8	147	50	22
 <b>NEW</b>	CV-550SW	550	21 11/16"	4.8	162	50	22
	CV-550W	550	21 11/16"	8.0	160	175	80
	CV-550LW	550	21 11/16"	12.7	166	250	114
	CV-610W	610	24"	9.0	177	175	80
	CV-685W	680	27"	9.0	202	175	80
	CV-710W	705	28"	9.0	209	175	80
	CV-762W	762	30"	9.0	227	175	80
	CV-812W	812	32"	9.0	243	175	80
	CV-914SW	914	36"	4.8	278	50	22
	CV-914W	914	36"	9.0	275	175	80
	CV-940W	950	37"	9.0	284	175	80
	CV-1168W	1168	46"	9.0	356	175	80
 <b>NEW</b>	CV-1219W	1219	48"	9.0	372	175	80
	CV-1500W	1500	59"	9.0	462	175	80