



5974 150W GZ9.5 24V 1CT

Product family description
Low-voltage, flat-filament quartz halogen lamps

Product Features

- Small bulb shape and high luminous intensity
- Lamps with prefocus base have a better-defined position of the filament in the system, allowing lamp replacement without adjustment
- XHP lamps are optimised for maximum light output by using xenon filling gas within IEC limits for these types

Product Benefits

- Specially suited for use in compact, efficient projection systems
- Constant, high light output during lifetime
- Distortion-free quartz bulb for optimal beam performance

Application

- Studio, film, theatre and disco lighting
- Slide, overhead, profile and 8/16 mm film projectors
- Microfilm readers and reader printers
- Dental lights
- Microscopes and endoscopes

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)


Product data	
Product Number	316554
Full product name	5974 150W GZ9.5 24V 1CT
Ordering Code	FDS/DZE
Pack type	1 Carton
Pieces per Sku	1
Skus/Case	24
Pack UPC	8711500410078
EAN2US	
Case Bar Code	8711500420893
Successor Product number	
ANSI Code	FDS/DZE

PHILIPS

Product data	
Cap- Base	GZ9.5
Filament Shape	Flat
Operating Position	s90
Main Application	Projection
Packing Type	1CT [1 Carton]
Packing Configuration	4X6F
Life to 50% failures	50 hr
Pack UPC	8711500410078
Case Bar Code	8711500420893
Ordering Code	FDS/DZE
Lamp Wattage Rated	150W
Colour Rendering Index	100 Ra8
Luminous Flux Lamp	5000 Lm
Overall Length C	60 mm
Diameter D	
Light Center Length L	33.3 mm
Case Height	3.000 in
Case Length	6.000 in
Case Width	4.000 in
Product Number	316554
Pack Height	1.800 in
Pack Length	3.300 in
Pack Weight	0.042 in
Pack Width	3.100 in




XHMPSEFF GZ9.5




Cap- Base GZ9.5

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Operating Position s90



XHMPSEFF GZ9.5

	C	D	L	L	L	P	P	P
Full product name	Max	Max	Min	No m	Max	Min	No m	Max
5974	60	13.5	32.5	33.3	34.1	3.10	3.17	3.24

	C	D	L	L	L	P	P	P
Full pro duc t na me	Max	Max	Min	No m	Max	Min	No m	Max

150
W
GZ9
.5
24V
1CT

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

