

OSCILLOSCOPE PROBE

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



Probes make a difference for your instruments,

They provide optimum performance as well as lasting stability.

■ Specifications

Mdel	CP 325	IP 005	CP 241
Bandwidth	60MHz \pm 3dB 6MHz \pm 3dB	100MHz \pm 3dB 6MHz \pm 3dB	100MHz \pm 3dB
Attenuation	10 x 3% 1 x	10 x 3% 1 x	100 x 4%
Loading Res. (Scope Input Res.)	10Mhm (1 Mhm) 1 Mhm (1 Mhm)	10 Mhm (1 Mhm) 1 Mhm (1 Mhm)	10 Mhm (1 Mhm)
Loading Cap. (Scope Input Cap.)	22pF(25pF) 200pF max. (25pF)	14pF(20pF) 150pF max. (20pF)	4pF(20pF)
Compensation Range	20~45pF N/A	20~35pF N/A	20~35pF
Max. Input Voltage	600V DC 600V DC	600V DC 600V DC	1,000V DC
Probe Length	1.5 m	1.5 m	1.5 m
Probe Body Configuration	A	C	D
Comensation Box	a1	a1	a1

Configuration			
Remarks	10x, 1x selectable	10x, 1x selectable	

Model	IP 005	IP 010
Frequency range	DC~100MHz \pm 2dB DC~6MHz \pm 3dB	DC~300MHz \pm 1dB
Attenuation (Attenuation accuracy)	10:1 (\pm 3%) 1:1 (*1)	10:1 (\pm 3%)
Input resistance (*2)	10:1 ? 10 M Ω hm 1:1 ? 1M Ω hm	10:1 ? 10 M Ω hm 1:1 ? 1 M Ω hm
Input capacitance	14pF \pm 10% 150pF max.	14pF \pm 10%
Max. Input Voltage	600V (DC+ACpeak)	600V (DC+ACpeak)
Probe Length	1.5 m	1.0 m


▪ Probe Bodies



▪ Probe Accessories

--

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Body Configuration Style		A.B	C.D.E
Model		CP 325	IP 005 CP 241
Accessory	Part Number		
① Retractable Pincher Tip	PF 004	●	●
	PF 059		
② Ground Lead	PF 014		
	PF 060	●	●
	PF 061		
③ Ground Bayonet	PF 008		●
	PF 015		
④ IC Tip	PF 009		●
	PF 016		
⑤ Colored Tag	(Orange) PF 001	○	○
	(White) PF 003	○	○
⑥ BNC Adaptor	PF 010		●
	PF 017		
⑦ Screwdriver	PF 094	●	●
⑧ Mini Pincher	(Black) PF 080		
	(Red) PF 082		○
⑨ Mini Pincher Lead	PF 006	○	
⑩ Mini Pincher Lead Adaptor	PF 062		○
	PF 063		
⑪ Dual Lead Adaptor	PF 064		
⑫ Alligator Clip Lead	PF 007	○	

● = Standard Accessory ○ = Optional Accessory

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)