

European Types Wedge Base Sockets



T-1¹/₂ (5.0mm) and
T-1³/₄ (5.8mm)
Wedge Base Sockets



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

T-3¹/₄ (10.0mm) and
T-5 (15.0mm)
Wedge Base Sockets



- **Housing:** Nylon 6/6, Polycarbonate
- **Terminal:** Phosphor bronze, Spring Steel or tin-plated Spring Bronze.
- **Wire leads:** Standard wire supplied is UL101.5 rated 105°C 600V, PVC. Other wire sizes and ratings are available.
- **Bracket:** Steel, Stainless, Brass or Spring Steel. Other sizes and materials are available.

P.S. : we have reliable source from Europe.

ODM & OEM are welcome.

Wedge Base Sockets




T-1¹/₂ (5.0mm), T-1³/₄ (5.8mm)
T-2 (6.5mm)

Wedge Base Sockets



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

T-3¹/₄ (10.0mm) and T-5 (15.0mm)
Wedge Base Sockets



T-6¹/₃ (20.0mm) and S-8 (25.0mm)
Wedge Base Sockets

T-6¹/₃ (20.0mm) Wedge Base Sockets

TW2001 Single filament type

TW2002 Double filament type

S8 (25.0mm) Wedge Base Sockets

TW2501 Single filament type

TW2502 Double filament type





SUB MINIATURE	Volts	Amps	M.S.C.P	Filament Shape	Life (Hours)	U.S.A	
T1-1/2 T5mm	6.0	0.200	0.60	C-2V	1000	79	
	6.3	0.040	0.03	C-2V	20000	84	
	6.3	0.200	0.40	C-2V	20000	86	
	12.0	0.050	0.15	C-2F	5000	-	
	12.0	0.100	0.30	C-2F	5000	12V 1.2W	
	13.5	0.089	0.60	C-2F	1000	12V 1.2W	
	13.5	0.150	0.95	C-2F	1000	12V 2W	
	14.0	0.040	0.13	C-2F	5000	18	
	14.0	0.080	0.30	C-2F	15000	73	
	14.0	0.090	0.50	C-2F	2500	37	
T1-3/4 T5.8mm	14.0	0.100	0.70	C-2F	1000	74	
	14.0	0.150	1.50	C-2F	100	70	
	24.0	0.050	0.30	C-2F	5000	24V 1.2W	
	24.0	0.050	0.40	C-2F	2000	24V 1.2W	
	28.0	0.040	0.30	C-2F	5000	-	
	28.0	0.043	0.60	C-2F	1000	-	
	28.0	0.065	0.65	C-2F	2500	-	
	28.0	0.072	0.95	C-2F	500	24V 2W	
	-	-	-	-	-	-	-
	-	-	-	-	-	-	-


勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)


SUB MINIATURE	Volts	Amps	M.S.C.P	Filament Shape	Life (Hours)	U.S.A
	14.0	0.120	0.99	C-2V	1000	24V 1.7W
	14.0	0.215	1.90	C-2V	500	14V 3W
	-	-	-	-	-	-


勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

SUB MINIATURE	Volts	Amps	M.S.C.P	Filament Sharpe	Life (Hours)	U.S.A
	2.47	0.275	0.48	C-2R	30	127
	5.00	0.090	0.25	C-2R	1500	285
	6.00	0.140	0.35	C-2V	1200	820
	6.15	0.530	3.50	C-2R	15	149
	6.30	0.150	0.34	C-2R	5000	159
	6.30	0.150	0.52	C-2V	1500	447
	6.30	0.250	0.65	C-2R	5000	259
	6.30	0.250	0.90	C-2R	3000	555
	7.00	0.430	2.00	C-2R	1500	147
	7.00	0.900	2.00	C-2V	200	148
	10.00	0.130	0.85	C-2V	250	280
	12.00	0.118	0.99	C-2V	1500	12V 1.7W
	12.00	0.24	0.19	C-2V	1500	12V 3.4W
	13.00	0.330	3.00	C-2V	1000	192
	13.00	0.250	1.75	C-2V	1000	W10/3
	14.00	0.080	0.31	C-2F	15000	658
	14.00	0.190	1.00	C-2F	4000	161
	14.00	0.240	2.00	C-2V	500	158
	14.00	0.270	1.50	C-2F	5000	124
	14.00	0.270	2.00	C-2F	2500	194
14.00	0.330	2.00	C-2F	7500	193	
14.00	0.350	3.00	C-2F	1500	168	

	28.00	0.040	0.30	C-2F	7000	585
	28.00	0.060	0.62	C-2F	2500	656

SUB MINIATURE	Volts	Amps	M.S.C.P	Filament Shape	Life (Hours)	Typical Applications
	14.00	0.430	4.4.	C-2V	800	Auto 12V 6W
	13.00	0.580	6.00	C-2V	600	Auto 12V 8W
	13.00	0.770	9.50	C-2V	400	Auto 12V 10W
	-	-	-	-	-	-

SUB MINIATURE	Volts	Amps	M.S.C.P	Filament Shape	Life (Hours)	U.S.A
	4.0	0.90	3.5	C-6	50	914
	4.0	1.80	7.5	C-2R	50	926
	6.0	0.62	3.8	C-2R	30	909
	6.0	0.90	5.4	C-2R	50	939
	6.0	1.20	8.0	C-2R	50	927
	6.0	1.50	12.0	C-2R	50	908
	12.0	0.75	11.0	C-2R	50	-
	12.0	1.20	10.0	C-2F	1200	917
	12.8	0.56	6.5	C-2R	500	918
	12.8	0.91	12.5	C-2R	500	923
	12.8	0.98	15.0	C-2R	200	922
	12.8	1.00	12.0	C-2R	1000	912
	12.8	1.40	21.0	C-2R	1000	921
	13.0	0.69	6.0	C-2F	1000	906
	13.5	0.54	2.0	C-2F	1000	916
	13.5	0.69	4.0	C-2F	5000	904

SUB MINIATURE	Volts	Amps	M.S.C.P	Filament Shape	Life (Hours)	Typical Applications
	13.5	25W	36.6	C-6	300	Auto 12V 21W
	13.5	25W/6W	35/2.8	C-6/C-6	500/1000	Auto 12V 21W/5W
	-	-	-	-	-	-

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)